

# Tolo 330

## Liquid cleaning agent and disinfectant

### Properties

- based on alkylamine
- Suitable for cleaning and disinfection
- Broad spectrum of action
- gentle on materials

### Listings

IHO listed  
VAH listed

### Application

Tolo 330 is a liquid cleaning and disinfecting product. Despite its mild pH value, it powerfully removes light to medium soiling with excellent material compatibility. The selection of active ingredients allows it to be used as a combination cleaner (cleaDisinfection:

EN 1276 Bactericidal (3.0 g/l albumin): 1 %, 5 min

EN 1650 Levurocidal (3.0 g/l albumin): 0.5 %, 15 min

EN 13697 Levurocidal ((3.0 g/l albumin): 1 %, 15 min

Only in case of a high degree of contamination we recommend according to

### Technical data

Density (20°C)	pH-value
1,03	9,7 - 10,1

### Titration

A 100 ml sample is pipetted into an Erlenmeyer flask and 5-10 drops of indicator solution T are added. During titration with 0.1 N hydrochloric acid, the template changes color from green to violet. The changeover point is reached when there is no further color change despite further addition of hydrochloric acid. (Consumption: V1). In addition, 100 ml of the process water used is titrated using the same method. (consumption: V2)

Calculation:  $(V1-V2) \times 0.16 = \% \text{ Tolo 330}$

### Biocide

Use biocide products with care. Always read the label and product information before use.

Notified according to national legislation for biocides under No. N-55715, N-55714.

100 g product contains 7.5 g N-(3-aminopropyl)-N-dodecylpropane- 1,3-diamine

Maximum usability from manufacture: 18 months in the closed original container.



### Notes

Store the product only in the original container and frost-free.  
Direct sunlight should be avoided.  
After removing partial quantities, the container should be resealed.

For commercial use only. This leaflet is for non-binding information only. The information is based on our current knowledge and experience. In any case, the user is obliged to carry out his own tests and trials to check the suitability of the products for his intended processes and purposes. The information in this leaflet does not constitute a guarantee for the quality and durability of the goods to be supplied by us. We reserve the right to make technical changes within the scope of what is reasonable. The current version of the corresponding EU safety data sheet must also be observed.