

Safety data she	eet in accordance wit	h regulation (EC) No 1907/20	BÜFF
* Petrosol Forte			Date revised: 13.09.2023
# 8600401906	/ersion: 8 / GB	Master No. MA-211	Print date: 07.05.2024
SECTION 1: Identific company/undertakin		ubstance/mixture a	nd of the
1.1. Product identifier Trade name Petrosol Forte			
1.2. Relevant identified Use of the substance/m Cleaning material/ De	ixture	ance or mixture and use	es advised against
1.3. Details of the suppl Address/Manufacturer BÜFA Cleaning Gmbl August-Hanken-Str. 3 26125 Oldenburg Telephone no. Fax no. Information provided by / telephone E-Mail	H & Co. KG 30 +49 441 9317 0 +49 441 9317 100	ct safety / +49 441 9317 108	
1.4. Emergency telepho Poison Information Co SECTION 2: Hazards	enter Goettingen: +4		
2.1. Classification of the Classification (Regulati Eye Irrit. 2	e substance or mi ion (EC) No. 1272/2 H319 ied and labelled in ad	ixture 008) ccordance with Regulation (E	C) No 1272/2008
Labelling according to	regulation (EC) No	1272/2008	

Signal word

Warning

Hazard statements

H319

Causes serious eye irritation.

Precautionary statements

P280.9 Wear eye protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention.

2.3. Other hazards ***

The product contains no PBT substances. The product contains no vPvB substances. This product does



* Petrosol Forte				Date revised: 13.09.2023
\$600401906	Version: 8 / GB	Master No.	MA-211	Print date: 07.05.2024
	substance that has endo	ocrine disrupting	properties with	
3.2. Mixtures	<u>osition/iniormati</u>		eulents	-
Hazardous ingredier	nts ***			
•				
phosphoric acid CAS No.	7664-38-2			
EINECS no.	231-633-2			
Registration no.	01-2119485924-24-2	XXXX		
Concentration	>= 5	< 1() %	
Acute Tox. 4	H302			
Met. Corr. 1 Skin Corr. 1B	H290 H314			
	ts (Regulation (EC) No. 1 Eye Irrit. 2 Skin Corr. 1B Skin Irrit. 2 ral	272/2008) H319 H314 H315 500	>= 10 < 25 >= 25 % >= 10 < 25 mg/kg	
Additional remarks		000	iiig/itg	
CLP	Regulation (EC) No	1272/2008, Ann	nex VI, Note B	
Isotridecanol, etho	xylated			
CAS No.	69011-36-5			
EINECS no.	931-138-8			
Registration no.			0 0/	
Concentration Acute Tox, 4	>= 3 H302	< 5,	3 %	
Eye Dam. 1	H318			
Lyo Dam. 1				
Concentration limit	ts (Regulation (EC) No. 1 Eye Irrit. 2	H319	> 1 < 10 %	
A.T.E.	Eye Dam. 1	H318	>= 10 %	
ATE of	ral	555,56	mg/kg	
For explanation of	abbreviations see section	n 16		
	4551 C 114110113 355 3501101	0.		

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Ensure supply of fresh air. In the event of symptoms take medical treatment.

After skin contact

Wash off immediately with soap and water.

After eye contact

In case of contact with the eyes rinse thoroughly with plenty of water or with an eye-cleaning solution. Seek medical advice immediately.

After ingestion

Rinse out mouth and give plenty of water to drink. Seek medical advice immediately.

4.2. Most important symptoms and effects, both acute and delayed There is no further relevant information available

4.3. Indication of any immediate medical attention and special treatment needed



* Petrosol Forte

8600401906

Version: 8 / GB

Master No. MA-211

Date revised: 13.09.2023 Print date: 07.05.2024

There is no further relevant information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide, Dry powder, Water spray jet

5.2. Special hazards arising from the substance or mixture If a fire breaks out nearby, pressure build-up and danger of bursting are possible.

5.3. Advice for firefighters

Cool endangered containers with water spray jet.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures High risk of slipping due to leakage/spillage of product. Use personal protective clothing.

6.2. Environmental precautions

Do not allow to enter drains or waterways.

6.3. Methods and material for containment and cleaning up

Take up with absorbent material (eg sand, kieselguhr, universal binder). When picked up, treat material as prescribed under Section 13 "Disposal".

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Observe the usual precautions for handling chemicals.

7.2. Conditions for safe storage, including any incompatibilities

Emptied containers may contain product residues and therefore must be handled with care. Reuse only after appropriate cleaning. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

7.3. Specific end use(s)

No information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limit values

phosphoric acid … %		
List	EH40	
Туре	WEL	
Value	1	mg/m³
Short term exposure limit	2	mg/m³
phosphoric acid … %		
List	IOELV	
Туре	IOELV	
Value	1	mg/m³
Short term exposure limit	2	mg/m³

8.2. Exposure controls

General protective and hygiene measures



* Petrosol Forte				Date revised: 13.09.2023
# 8600401906	Version: 8 / GB	Master No	р. MA-211	Print date: 07.05.2024
the Regulation (E personal protectiv PPE must be cor conditions. If it is	C) No 2016/425 and the ve equipment (PPE) is to isidered by the employer of	esulting CEN be understood depending on -site risk asse	standards. Th as a sugges the activities t ssment that th	ective equipment must comply with he following information on tion. The selection of the necessary to be carried out and the local here is no danger to the employee, be adjusted accordingly.
Respiratory protec Not necessary.	tion			
Hand protection				
Chemical resistan Appropriate Mater Material thicknes Breakthrough tim Wear suitable glo Check leaktightne them before takir	rial nitrile s >= 0,6 le > 480 oves. Chemical protection ess/impermeability prior to ng off and air them well. F	o use. In the ca or special purp	ase of wanting oses, it is rec	are tested according to EN 374. g to use the gloves again, clean commended to check the ether with the supplier of these
Eye protection				
Tightly fitting safe	ety glasses			
Body protection				
Clothing as usual	in the chemical industry.			
SECTION 9: Physi	ical and chemical	propertie	<u>es</u>	
9.1. Information on	basic physical and ch	emical prop	erties	
Physical state	liquid			
Colour	pink			
Odour	of lemon			
Melting point				
Remarks	not deterr	nined		
Boiling point				
Remarks	not deterr	nined		
Flammability				
evaluation	not deterr	nined		
Explosion limits				
Remarks	not deterr	nined		
Flash point				
Value	> 1	00		C°
Ignition temperatur	e			
Remarks	not deterr	nined		
Thermal decompos	sition			
Remarks	Not releva	ant		
pH value				
Value		,25		
Concentration/H2		%		
Viscosity				
Value	appr. 2			S
Method	DIN 5321	1 4 mm		

Solubility in other solvents

not determined



* Petrosol Forte			Date revised: 13.09.2023
# 8600401906	Version: 8 / GB	Master No. MA-2	11 Print date: 07.05.2024
Octanol/water parti	tion coefficient (log P	ow)	
Remarks	Not rele	evant	
Vapour pressure			
Remarks	not dete	ermined	
Density		4.045	h
Value	appr.	1,045	kg/l
Vapour density Remarks	not dete	armined	
Particle characteris		similied	
Remarks		nt (liquid)	
9.2. Other information		(
	ווכ		
Odour threshold Remarks	No data	a available	
Solubility in water	NO Uala		
Remarks	miscible	9	
SECTION 10: Stab	<u>ility and reac</u> tiv	<u>rity</u>	
10.1. Reactivity No hazardous rea	actions when stored and	d handled according to p	rescribed instructions.
10.2. Chemical stabi The product is sta			
10.3. Possibility of h Under normal cor		use, hazardous reactions	s will not occur.
10.4. Conditions to a Protect from heat	avoid and direct sunlight.		
Thermal decompos	ition		
Remarks	Not rele	evant	
10.5. Incompatible n None known	naterials		
10.6. Hazardous dec	omposition product	ts	
	composition products k		
<u>SECTION 11: Toxi</u>	cological inform	<u>nation</u>	
11.1. Information on	toxicological effect	s	
Acute oral toxicity	U U		
ATE	4.6	56	mg/kg
Method Based on availab	calculated le data, the classificatio	value (Regulation (EC) N n criteria are not met.	lo. 1272/2008)
Acute oral toxicity ((Components)		
Isotridecanol, etho	oxylated		
ATE	50		mg/kg
Source	Estimated	value	
Acute dermal toxici	-	n auitania ana matumat	
	le data, the classificatio	n chiena are not met.	
Acute inhalational t	le data the classificatio		

Based on available data, the classification criteria are not met.



* Petrosol Forte			Date revised: 13.09.2023
# 8600401906	Version: 8 / GB	Master No. MA-211	Print date: 07.05.2024
Serious eye dama evaluation	ble data, the classification	criteria are not met.	
Sensitization Based on availa	ble data, the classification	criteria are not met.	
Mutagenicity Based on availa Reproductive toxi	ble data, the classification city	criteria are not met.	
Carcinogenicity	ble data, the classification		
Specific Target Or	ble data, the classification gan Toxicity (STOT)	criteria are not met.	
Repeated exposu	ble data, the classification re ble data, the classification		
Aspiration hazard Based on availa	ble data, the classification	criteria are not met.	
11.2 Information or	other hazards		
	ing properties with respe es not contain a substance	ect to humans that has endocrine disrupting	g properties with respect to
SECTION 12: Eco	ological information	on	
Daphnia toxicity		gical data available on the pr gical data available on the pr	

Algae toxicity

For this subsection there is no ecotoxicological data available on the product as such.

Bacteria toxicity

For this subsection there is no ecotoxicological data available on the product as such.

12.2. Persistence and degradability

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

12.3. Bioaccumulative potential

For this subsection there is no ecotoxicological data available on the product as such.

Octanol/water partition coefficient (log Pow)

Remarks

Not relevant

12.4. Mobility in soil

For this subsection there is no ecotoxicological data available on the product as such.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment

The product contains no PBT substances. The product contains no vPvB substances.



* Petrosol Forte			Date revised: 13.09.2023
# 8600401906	Version: 8 / GB	Master No. MA-211	Print date: 07.05.2024

12.6 Endocrine disrupting properties

Endocrine disrupting properties with respect to the envrionment

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

For this subsection there is no ecotoxicological data available on the product as such.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations for the product

Allocation of a waste code number, according to the European Waste Catalogue (EWC), should be carried out in agreement with the regional waste disposal company.

Disposal recommendations for packaging

Completely emptied packagings can be given for recycling.

SECTION 14: Transport information

	Land transport ADR/RID	Marine transport IMDG/GGVSee
14.1. UN number	The product does not constitute a hazardous substance in land transport.	The product does not constitute a hazardous substance in sea transport.
14.2. UN proper shipping name	-	-
14.3. Transport hazard class(es)	-	-
14.4. Packing group	-	-
Label		
14.5. Environmental hazards		
	-	

Information for all modes of transport

14.6. Special precautions for user

Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Other information

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information ***

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Ingredients (Regulation (EC) No 648/2004)

less than 5 %:

non-ionic surfactants



* Petrosol Forte			Date revised: 13.09.2023
# 8600401906	Version: 8 / GB	Master No. MA-211	Print date: 07.05.2024
,	e nts p-mentha-1,8-diene, citral		
VOC (EU)	0,11	%	
		ccording to: Candidate List	for inclusion in Annex XIV of
15.2. Chemical sa For this prepar	fety assessment ation a chemical safety asse	ssment has not been carrie	d out.
SECTION 16: Ot	her information		
(EC) 1272/2008 [0	CLP]:		ctures according to Regulation
Eye Irrit. 2	H319 Calcula Its listed in Chapter 2/3	tion method	
H290 H302 H314 H318 H319	May be corrosive to metals Harmful if swallowed. Causes severe skin burns Causes serious eye damag Causes serious eye irritatio	and eye damage. ge.	
	isted in Chapter 2/3		
Acute Tox. 4 Eye Dam. 1 Eye Irrit. 2 Met. Corr. 1 Skin Corr. 1B	Eye irritation, Substance or	amage, Category 1	s, Category 1
Abbreviations			
RID: Règlemen GGVSee: Gefa IMDG: Internat CAS: Chemica EAK: Europäis EINECS: Euro VOC: Volatile (GefStoffV: Gef TA Luft: Techn INCI: Internatio n.a.g.: nicht an MAK: Maximal	e Arbeitsplatz-Konzentration	ernational ferroviaire de ma gerous Goods ommercial Chemical Substa ung der Luft	rchandises dangereuses
AGW: Arbeitsp BGW: Biologis TRGS: Technis OEL: Occupati SUVA: Schwei WEL: Workpla MAC: Maximal MEL: Maximur NOEL: No obs NOEC: No obs LD: Lethal dos LC: Lethal con	blatzgrenzwert cher Grenzwert sche Regeln für Gefahrstoffe onal exposure limit zerische Unfallversicherungs ce exposure limit e aanvaarde concentratie (N n exposure limits ervable effect level servable effect concentration e centration	anstalt	
	thal concentration It, Bioaccumulative and Toxic	2	



* Petrosol Forte			Date revised: 13.09.2023
# 8600401906	Version: 8 / GB	Master No. MA-211	Print date: 07.05.2024
SVHC: Substa DNEL: Derive DMEL: Derive PNEC: Predict GHS: Globally REACH: Regis UN: United Na EG: Europäiso EWG: Europä EU: European HSNO: Hazar ATE: Acute To STOT: Specifi	che Gemeinschaft ische Wirtschaftsgemeinscha Union dous Substances and New O oxicity Estimate ic Target Organ Toxicity	n sification and Labelling of Ch sation and Restriction of Ch aft	emicals
Supplemental in	formation		

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: *** This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.