

* Paintex 2020

Date revised: 30.11.2023

8730909523

Version: 3 / GB

Master No. MA-212

Print date: 17.04.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

Paintex 2020

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Industrial cleaner

1.3. Details of the supplier of the safety data sheet

Address/Manufacturer

BÜFA Cleaning GmbH & Co. KG

August-Hanken-Str. 30

26125 Oldenburg

Telephone no. +49 441 9317 0

Fax no. +49 441 9317 100

Information provided Department product safety / +49 441 9317 108

by / telephone

E-Mail sds-cleaning@buefa.de

1.4. Emergency telephone number

Poison Information Center Goettingen: +49 551 19240

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Acute Tox. 4 H302

Skin Corr. 1A H314

Eye Dam. 1 H318

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008

For explanation of abbreviations see section 16.

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Hazard pictograms



Signal word

Danger

Hazard statements

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

Precautionary statements

P280.2 Wear protective gloves/ eye/ face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

* Paintex 2020

Date revised: 30.11.2023

8730909523

Version: 3 / GB

Master No. MA-212

Print date: 17.04.2024

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER or doctor.

Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

contains 2,2' -oxybisethanol; cyclohexylamine oxethylate; Potassium hydroxide

2.3. Other hazards

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

SECTION 3: Composition/information on ingredients *****3.2. Mixtures****Hazardous ingredients *******Potassium hydroxide**

CAS No. 1310-58-3
 EINECS no. 215-181-3
 Registration no. 01-2119487136-33-XXXX
 Concentration \geq 16 $<$ 25 %
 Acute Tox. 4 H302
 Skin Corr. 1A H314
 Met. Corr. 1 H290

Concentration limits (Regulation (EC) No. 1272/2008)

Eye Irrit. 2 H319 \geq 0,5 $<$ 2 %
 Skin Corr. 1A H314 \geq 5 %
 Skin Corr. 1B H314 \geq 2 $<$ 5 %
 Skin Irrit. 2 H315 \geq 0,5 $<$ 2 %
 ATE oral 333 mg/kg

2,2' -oxybisethanol

CAS No. 111-46-6
 EINECS no. 203-872-2
 Registration no. 01-2119457857-21-XXXX
 Concentration \geq 10 $<$ 24 %
 Acute Tox. 4 H302

ATE oral 1.120 mg/kg

2-(2-butoxyethoxy)ethanol

CAS No. 112-34-5
 EINECS no. 203-961-6
 Registration no. 01-2119475104-44-XXXX
 Concentration \geq 10 $<$ 25 %
 Eye Irrit. 2 H319

cyclohexylamine oxethylate

CAS No. 4500-29-2
 EINECS no. 224-809-5
 Registration no. 01-2119962183-38-XXXX
 Concentration \geq 3 $<$ 5 %
 Acute Tox. 4 H302
 Skin Corr. 1C H314
 STOT RE 2 H373

cATpE oral 500 mg/kg

* **Paintex 2020**

Date revised: 30.11.2023

8730909523

Version: 3 / GB

Master No. MA-212

Print date: 17.04.2024

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Ensure supply of fresh air. Summon a doctor immediately.

After skin contact

Wash off immediately with soap and water.

After eye contact

In case of contact with the eyes rinse thoroughly with plenty of water or with an eye-cleaning solution. Seek medical advice immediately.

After ingestion

Do not induce vomiting. Call in a physician immediately and show him the Safety Data Sheet.

4.2. Most important symptoms and effects, both acute and delayed

There is no further relevant information available

4.3. Indication of any immediate medical attention and special treatment needed

There is no further relevant information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide, Dry powder, Water spray jet, Extinguishing measures to suit surroundings

Non suitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible. If a fire breaks out nearby, pressure build-up and danger of bursting are possible.

5.3. Advice for firefighters

Use self-contained breathing apparatus.
Cool endangered containers with water spray jet.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Keep people away and stay on the upwind side. Use breathing apparatus if exposed to vapours/dust/aerosol. Use personal protective clothing.

6.2. Environmental precautions

Do not allow to enter drains or waterways.

6.3. Methods and material for containment and cleaning up

Take up with absorbent material (eg sand, kieselguhr, universal binder). When picked up, treat material as prescribed under Section 13 "Disposal".

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Provide good ventilation of working area (local exhaust ventilation if necessary).

* Paintex 2020

Date revised: 30.11.2023

8730909523

Version: 3 / GB

Master No. MA-212

Print date: 17.04.2024

Containers in danger should be cooled with water.

7.2. Conditions for safe storage, including any incompatibilities

Keep only in original packaging. Provide alkali-resistant floor. Store product in closed containers.

Do not store together with: Acids, Aluminium

Keep container tightly closed.

7.3. Specific end use(s)

No information available

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Exposure limit values****2,2' -oxybisethanol**

List	EH40			
Type	WEL			
Value	101	mg/m ³	23	ppm(V)

2-(2-butoxyethoxy)ethanol

List	EH40			
Type	WEL			
Value	67.5	mg/m ³	10	ppm(V)
Short term exposure limit	101.2	mg/m ³	15	ppm(V)

2-(2-butoxyethoxy)ethanol

List	IOELV			
Type	IOELV			
Value	67,5	mg/m ³	10	ppm(V)
Short term exposure limit	101,2	mg/m ³	15	ppm(V)

Potassium hydroxide

List	EH40			
Type	WEL			
Short term exposure limit	2	mg/m ³		

Maximum limit value; Skin resorption / sensibilisation: Pregnancy group: Status: 2005

8.2. Exposure controls**General protective and hygiene measures**

Observe the usual precautions for handling chemicals. Personal protective equipment must comply with the Regulation (EC) No 2016/425 and the resulting CEN standards. The following information on personal protective equipment (PPE) is to be understood as a suggestion. The selection of the necessary PPE must be considered by the employer depending on the activities to be carried out and the local conditions. If it is determined during the on-site risk assessment that there is no danger to the employee, there is no need to wear PPE or the scope of the PPE to be used can be adjusted accordingly.

Respiratory protection

Breathing apparatus in the event of aerosol or mist formation. Short term: filter apparatus, Filter B

Hand protection

Chemical resistant gloves

Appropriate Material	nitrile		
Material thickness	>=	0,7	mm
Breakthrough time	>	480	min

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leaktightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Eye protection

Tightly fitting safety glasses

* Paintex 2020

Date revised: 30.11.2023

8730909523

Version: 3 / GB

Master No. MA-212

Print date: 17.04.2024

Body protection

Alkali-resistant protective clothing

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state	liquid
Colour	yellowish, clear
Odour	Product specific
Melting point	
Remarks	not determined
Boiling point	
Remarks	not determined
Flammability	
evaluation	not determined
Explosion limits	
Remarks	not determined
Flash point	
Value	> 100 °C
Ignition temperature	
Remarks	not determined
Thermal decomposition	
Remarks	Not relevant
pH value	
Value	appr. 12,5
Concentration/H ₂ O	1 %
Solubility in other solvents	not determined
Octanol/water partition coefficient (log Pow)	
Remarks	Not relevant
Vapour pressure	
Remarks	not determined
Density	
Value	appr. 1,2 kg/l
Temperature	20 °C
Vapour density	
Remarks	not determined
Particle characteristics	
Remarks	irrelevant (liquid)
9.2. Other information	
Odour threshold	
Remarks	No data available
Solubility in water	
Remarks	miscible

SECTION 10: Stability and reactivity**10.1. Reactivity**

Corrodes aluminium.

* Paintex 2020

Date revised: 30.11.2023

8730909523

Version: 3 / GB

Master No. MA-212

Print date: 17.04.2024

10.2. Chemical stability

The product is stable.

10.3. Possibility of hazardous reactions

Strong exothermic reaction with acids.

10.4. Conditions to avoid

Protect from heat and direct sunlight.

Thermal decomposition

Remarks Not relevant

10.5. Incompatible materials

Strong exothermic reaction with acids. Reactions with metals, with evolution of hydrogen.

10.6. Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Acute oral toxicity**

ATE	1.269	mg/kg
Method	calculated value (Regulation (EC) No. 1272/2008)	
The classification criteria are met.		

Acute oral toxicity (Components)**2,2' -oxybisethanol**

Reference substance	2,2' -oxybisethanol	
Species	Human	
LD50	1120	mg/kg

Potassium hydroxide

Reference substance	potassium hydroxide ...%	
ATE	333	mg/kg

Acute dermal toxicity

Based on available data, the classification criteria are not met.

Acute dermal toxicity (Components)**2,2' -oxybisethanol**

Species	rabbit	
LD50	13330	mg/kg

Acute inhalational toxicity

Based on available data, the classification criteria are not met.

Acute inhalative toxicity (Components)**2,2' -oxybisethanol**

Species	rat	
LC50	> 4,6	mg/l
Duration of exposure	4 h	

Skin corrosion/irritation

evaluation	corrosive
The classification criteria are met.	

Serious eye damage/irritation

evaluation	corrosive
The classification criteria are met.	

Sensitization

Based on available data, the classification criteria are not met.

* Paintex 2020

Date revised: 30.11.2023

8730909523

Version: 3 / GB

Master No. MA-212

Print date: 17.04.2024

Sensitization (Components)

Based on available data, the classification criteria are not met.

Mutagenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT)**Single exposure**

Based on available data, the classification criteria are not met.

Repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards**Endocrine disrupting properties with respect to humans**

The product does not contain a substance that has endocrine disrupting properties with respect to humans.

SECTION 12: Ecological information**12.1. Toxicity****Fish toxicity****2,2' -oxybisethanol**

Species	Fathead minnow (<i>Pimephales promelas</i>)		
LC50	75200		mg/l
Duration of exposure	96	h	
Durchfluss			

2-(2-butoxyethoxy)ethanol

Reference substance	2-(2-butoxyethoxy)ethanol		
Species	sun perch		
LC50	1300		mg/l
Duration of exposure	96	h	

Daphnia toxicity**2,2' -oxybisethanol**

Species	Daphnia magna		
EC50	> 10000		mg/l
Duration of exposure	24	h	

2-(2-butoxyethoxy)ethanol

Reference substance	2-(2-butoxyethoxy)ethanol		
Species	Daphnia magna		
EC50	> 100		mg/l
Duration of exposure	48	h	

Species	Daphnia magna		
NOEC	112		mg/l
Duration of exposure	14	d	

Algae toxicity**2-(2-butoxyethoxy)ethanol**

Reference substance	2-(2-butoxyethoxy)ethanol		
Species	Desmodesmus subspicatus		

* Paintex 2020

Date revised: 30.11.2023

8730909523

Version: 3 / GB

Master No. MA-212

Print date: 17.04.2024

ErC50	>	100		mg/l
Duration of exposure		72	h	
Method		OECD 201		

Bacteria toxicity**2,2' -oxybisethanol**

Species		activated sludge		
EC50	>	1000		mg/l
Duration of exposure		3	h	
Method		OECD 209		

2-(2-butoxyethoxy)ethanol

Reference substance		2-(2-butoxyethoxy)ethanol		
Species		activated sludge		
EC10	>	1995		mg/l
Duration of exposure		30	min	
Source		Literature value		

12.2. Persistence and degradability

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.Do not discharge product unmonitored into the environment.

Biodegradability**2,2' -oxybisethanol**

Value		50		%
Duration of test		28	d	
Remarks		The product is biodegradable.		

2-(2-butoxyethoxy)ethanol

Reference substance		2-(2-butoxyethoxy)ethanol		
Value		89	to 93	%
Duration of test		28	d	
evaluation		readily degradable		
Method		OECD 301 C		

12.3. Bioaccumulative potential

For this subsection there is no ecotoxicological data available on the product as such.

Octanol/water partition coefficient (log Pow)

Remarks	Not relevant
---------	--------------

12.4. Mobility in soil

For this subsection there is no ecotoxicological data available on the product as such.

12.5. Results of PBT and vPvB assessment**Results of PBT and vPvB assessment**

The product contains no PBT substances. The product contains no vPvB substances.

12.6 Endocrine disrupting properties**Endocrine disrupting properties with respect to the environment**

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

For this subsection there is no ecotoxicological data available on the product as such.

Behaviour in sewers [waste treatment plants]

The product is an alkaline solution. Neutralization is normally necessary before a waste water is discharged into sewage treatment plants.

SECTION 13: Disposal considerations

* Paintex 2020

Date revised: 30.11.2023

8730909523

Version: 3 / GB

Master No. MA-212

Print date: 17.04.2024

13.1. Waste treatment methods



Disposal recommendations for the product

Allocation of a waste code number, according to the European Waste Catalogue (EWC), should be carried out in agreement with the regional waste disposal company.

Disposal recommendations for packaging

Completely emptied packagings can be given for recycling.

SECTION 14: Transport information

	Land transport ADR/RID	Marine transport IMDG/GGVSee
14.1. UN number	1719	1719
14.2. UN proper shipping name	CAUSTIC ALKALI LIQUID, N.O.S. (Potassium hydroxide)	CAUSTIC ALKALI LIQUID, N.O.S. (Potassium hydroxide)
14.3. Transport hazard class(es)	8	8
14.4. Packing group	II	II
Label		
14.5. Environmental hazards	-	
Limited Quantity	1 I	1 I
Transport category	2	
Tunnel restriction code	E	
Hazard id. no.	80	
EmS		F-A, S-B

Information for all modes of transport

14.6. Special precautions for user

Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Other information

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information ***

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Ingredients (Regulation (EC) No 648/2004)

* Paintex 2020

Date revised: 30.11.2023

8730909523

Version: 3 / GB

Master No. MA-212

Print date: 17.04.2024

less than 5 %:

phosphonates

VOC ***

VOC (EU) 0,4 %

Other information

The product does not contain substances according to: Candidate List for inclusion in Annex XIV of Regulation (EC) No. 1907/2006 (REACH).

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information**Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:**

Acute Tox. 4	H302	Calculation method
Skin Corr. 1A	H314	Calculation method
Eye Dam. 1	H318	Calculation method

Hazard statements listed in Chapter 2/3

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H373	May cause damage to organs through prolonged or repeated exposure.

CLP categories listed in Chapter 2/3

Acute Tox. 4	Acute toxicity, Category 4
Eye Dam. 1	Serious eye damage, Category 1
Eye Irrit. 2	Eye irritation, Category 2
Met. Corr. 1	Substance or mixture corrosive to metals, Category 1
Skin Corr. 1A	Skin corrosion, Category 1A
Skin Corr. 1C	Skin corrosion, Category 1C
STOT RE 2	Specific target organ toxicity - repeated exposure, Category 2

Abbreviations

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route
 RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses
 GGVSee: Gefahrgutverordnung See
 IMDG: International Maritime Code for Dangerous Goods
 CAS: Chemical Abstracts Service
 EAK: Europäischer Abfallkatalog
 EINECS: European Inventory of Existing Commercial Chemical Substances
 VOC: Volatile Organic Compound
 GefStoffV: Gefahrstoffverordnung
 TA Luft: Technische Anleitung zur Reinhaltung der Luft
 INCI: International Nomenclature of Cosmetic Ingredients
 n.a.g.: nicht anders genannt
 MAK: Maximale Arbeitsplatz-Konzentration
 AGW: Arbeitsplatzgrenzwert
 BGW: Biologischer Grenzwert
 TRGS: Technische Regeln für Gefahrstoffe
 OEL: Occupational exposure limit
 SUVA: Schweizerische Unfallversicherungsanstalt
 WEL: Workplace exposure limit
 MAC: Maximale aanvaarde concentratie (Netherlands)
 MEL: Maximum exposure limits
 NOEL: No observable effect level

*** Paintex 2020**

Date revised: 30.11.2023

8730909523

Version: 3 / GB

Master No. MA-212

Print date: 17.04.2024

NOEC: No observable effect concentration

LD: Lethal dose

LC: Lethal concentration

LLC: Lowest lethal concentration

PBT: Persistent, Bioaccumulative and Toxic

vPvB: Very persistent and very bioaccumulative

SVHC: Substances of very high concern

DNEL: Derived no effect level

DMEL: Derived minimal effect level

PNEC: Predicted no effect concentration

PEC: Predicted environmental concentration

GHS: Globally Harmonized System of classification and Labelling of Chemicals

REACH: Registration, Evaluation, Autohorisation and Restriction of Chemicals

UN: United Nations

EG: Europäische Gemeinschaft

EWG: Europäische Wirtschaftsgemeinschaft

EU: European Union

HSNO: Hazardous Substances and New Organisms Act (New Zealand)

ATE: Acute Toxicity Estimate

STOT: Specific Target Organ Toxicity

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: ***

This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.