

Lizerna White

Neutral fat solvent



Properties

- Special grease-dissolving formulation for every wash
- Effective from 40 °C
- Versatile use as an emulsifier, wetting agent and washing power booster in all washing systems
- achieves a particularly high degree of whiteness

Application

Lizerna White can be mixed with water in any ratio, remains low viscosity and does not go through a gel phase. A significantly higher degree of whiteness can be achieved even at low temperatures. Even at 40 °C, Lizerna White achieves good grease removal, although this improves significantly as the temperature rises.

The product can be added manually or via typical laundry liquid dosing systems. It is suitable both for pre-washing and as an additive in the main wash in the case of extreme soiling.

The recommended dosage depends on the application. When using as a degreaser or washing power booster, please refer to the dosing table.

Dosing	Degree of contamination		
	Water hardness	light	heavy
0 - 8.4	2	8	
8.5 - 14		10	

The application quantity refers to g / kg dry laundry.
You can find out the degree of hardness or water hardness in degrees of German hardness from your local water company.

Dosing

Wetting agent	
Concentration	2 - 3 g / kg dry laundry

Emulsifier for heavily pigmented laundry	
Concentration	15 - 20 g / kg dry laundry

Technical data

Density (20°C)	pH-value
1,00 kg / l	7,5

Notes

Storage should be frost-proof, although the solidified products can be used again after thawing without any loss of quality.

For commercial use only. This leaflet is for non-binding information only. The information is based on our current knowledge and experience. In any case, the user is obliged to carry out his own tests and trials to check the suitability of the products for his intended processes and purposes. The information in this leaflet does not constitute a guarantee for the quality and durability of the goods to be supplied by us. We reserve the right to make technical changes within the scope of what is reasonable. The current version of the corresponding EU safety data sheet must also be observed.