

SolventClean E

High-boiling solvent cleaner

Properties

- Low-emission; flash point according to DIN EN 22719-A: > 88 °C
- label-free
- Suitable for cleaning rubber surfaces, also for removing adhesive residues from the backs of printing plates.
- Distillable after testing

Application

SolventClean E is a high-boiling solvent-based cleaner. It is suitable for direct use in machine or manual cleaning, for example of preparation containers or parts. SolventClean E removes paint or adhesive residues quickly and effectively even at room temperature. Even particularly thick layers with a high degree of cross-linking of the paint systems to be cleaned are clearly dissolved after an exposure time of just 10 minutes. SolventClean E can be used to remove adhesive residues from the backs of printing plates.

Suitable surfaces: Steel, stainless steel, aluminium, aluminium alloys, galvanized material, non-ferrous metals

Only treat after testing: Plastics

Area of application: manual and mechanical process

For removing: solvent-based paint systems, adhesives (also 2K)

Technical data

Density (20°C)
0,95 kg / l

Notes

Store the product in its original container.

Storage should be frost-proof, although the solidified products can be used again after thawing without any loss of quality.

For commercial use only. This leaflet is for non-binding information only. The information is based on our current knowledge and experience. In any case, the user is obliged to carry out his own tests and trials to check the suitability of the products for his intended processes and purposes. The information in this leaflet does not constitute a guarantee for the quality and durability of the goods to be supplied by us. We reserve the right to make technical changes within the scope of what is reasonable. The current version of the corresponding EU safety data sheet must also be observed.