

* Petrosol SBR

Date revised: 13.09.2023

8750029210

Version: 6 / GB

Master No. MA-213

Print date: 17.04.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

Petrosol SBR

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Cleaning agent/ Cleaner

1.3. Details of the supplier of the safety data sheet

Address/Manufacturer

BÜFA Cleaning GmbH & Co. KG

August-Hanken-Str. 30

26125 Oldenburg

Telephone no. +49 441 9317 0

Fax no. +49 441 9317 100

Information provided Department product safety / +49 441 9317 108

by / telephone

E-Mail sds-cleaning@buefa.de

1.4. Emergency telephone number

Poison Information Center Goettingen: +49 551 19240

SECTION 2: Hazards identification ***

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Skin Corr. 1 H314

Eye Dam. 1 H318

STOT SE 3 H335

Aquatic Chronic 3 H412

Met. Corr. 1 H290

*
*
*

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008

For explanation of abbreviations see section 16.

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008**Hazard pictograms****Signal word**

Danger

Hazard statements ***

H314

Causes severe skin burns and eye damage.

* Petrosol SBR

Date revised: 13.09.2023

8750029210

Version: 6 / GB

Master No. MA-213

Print date: 17.04.2024

H335 May cause respiratory irritation.
 H412 Harmful to aquatic life with long lasting effects.
 H290 May be corrosive to metals.

Precautionary statements

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
 P280.2 Wear protective gloves/ eye/ face protection.
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER or doctor.

Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

contains *** Hydrochloric acid; Isotridecanol, ethoxylated (5-20 EO)

Sensitising substancesEUH208 Contains methenamine, May produce an allergic reaction.
*****2.3. Other hazards**

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

SECTION 3: Composition/information on ingredients *****3.2. Mixtures****Hazardous ingredients *******hydrochloric acid ... %**

CAS No. 7647-01-0
 EINECS no. 231-595-7
 Registration no. 01-2119484862-27-XXXX
 Concentration \geq 10 $<$ 18 %
 Skin Corr. 1B H314
 STOT SE 3 H335

Concentration limits (Regulation (EC) No. 1272/2008)

Eye Irrit. 2 H319 \geq 10 < 25 %
 Skin Corr. 1B H314 \geq 25 %
 Skin Irrit. 2 H315 \geq 10 < 25 %
 STOT SE 3 H335 \geq 10 %

Additional remarks:

CLP Regulation (EC) No 1272/2008, Annex VI, Note B

Isotridecanol, ethoxylated (5-20 EO)

CAS No. 69011-36-5
 EINECS no. 500-241-6
 Registration no. 01-2119976362-32-XXXX
 Concentration \geq 1 $<$ 2,6 %
 Acute Tox. 4 H302
 Eye Dam. 1 H318

Concentration limits (Regulation (EC) No. 1272/2008)

Eye Irrit. 2 H319 \geq 1 < 10 %
 Eye Dam. 1 H318 \geq 10

ATE oral 1.000 mg/kg

* Petrosol SBR

Date revised: 13.09.2023

8750029210

Version: 6 / GB

Master No. MA-213

Print date: 17.04.2024

alkyl (c12-16) dimethylbenzyl ammonium chloride (adbac/bkc (c12-16))

CAS No.	68424-85-1
EINECS no.	270-325-2
Concentration	>= 0,25 < 1 %
Acute Tox. 4	H302
Skin Corr. 1B	H314
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

Concentration limits (Regulation (EC) No. 1272/2008)

Aquatic Acute 1 H400 M = 10

methenamine

CAS No.	100-97-0
EINECS no.	202-905-8
Registration no.	01-2119474895-20-XXXX
Concentration	>= 0,1 < 1 %
Flam. Sol. 2	H228
Skin Sens. 1	H317

For explanation of abbreviations see section 16.

SECTION 4: First aid measures**4.1. Description of first aid measures****After inhalation**

Ensure supply of fresh air. Summon a doctor immediately.

After skin contact

Wash off immediately with soap and water.

After eye contact

In case of contact with the eyes rinse thoroughly with plenty of water or with an eye-cleaning solution. Seek medical advice immediately.

After ingestion

Do not induce vomiting. Call in a physician immediately and show him the Safety Data Sheet.

4.2. Most important symptoms and effects, both acute and delayed

There is no further relevant information available

4.3. Indication of any immediate medical attention and special treatment needed

There is no further relevant information available

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Carbon dioxide, Dry powder, Water spray jet, Extinguishing measures to suit surroundings

Non suitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

5.3. Advice for firefighters

Use self-contained breathing apparatus.

Cool endangered containers with water spray jet.

* Petrosol SBR

Date revised: 13.09.2023

8750029210

Version: 6 / GB

Master No. MA-213

Print date: 17.04.2024

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Keep people away and stay on the upwind side. Use breathing apparatus if exposed to vapours/dust/aerosol. Use personal protective clothing.

6.2. Environmental precautions

Do not allow to enter drains or waterways.

6.3. Methods and material for containment and cleaning up

Take up with absorbent material (eg sand, kieselguhr, universal binder). When picked up, treat material as prescribed under Section 13 "Disposal".

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Provide good ventilation of working area (local exhaust ventilation if necessary). Containers in danger should be cooled with water.

7.2. Conditions for safe storage, including any incompatibilities

Keep only in original packaging. Provide acid-resistant floor. Store product in closed containers. Do not store together with: Alkalis
Protect from heat and direct sunlight.

7.3. Specific end use(s)

No information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limit values

hydrochloric acid ... %

List	IOELV			
Type	IOELV			
Value	8	mg/m ³	5	ppm(V)
Short term exposure limit	15	mg/m ³	10	ppm(V)

8.2. Exposure controls

General protective and hygiene measures

Observe the usual precautions for handling chemicals. Personal protective equipment must comply with the Regulation (EC) No 2016/425 and the resulting CEN standards. The following information on personal protective equipment (PPE) is to be understood as a suggestion. The selection of the necessary PPE must be considered by the employer depending on the activities to be carried out and the local conditions. If it is determined during the on-site risk assessment that there is no danger to the employee, there is no need to wear PPE or the scope of the PPE to be used can be adjusted accordingly.

Respiratory protection

Breathing apparatus in the event of aerosol or mist formation. Short term: filter apparatus, Filter B

Hand protection

Chemical resistant gloves

Appropriate Material	nitrile		
Material thickness	>=	0,7	mm
Breakthrough time	>	480	min

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374.

Check leaktightness/impermeability prior to use. In the case of wanting to use the gloves again, clean

* Petrosol SBR

Date revised: 13.09.2023

8750029210

Version: 6 / GB

Master No. MA-213

Print date: 17.04.2024

them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Eye protection

Tightly fitting safety glasses

Body protection

Acid-resistant protective clothing

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	Product specific
Melting point	
Remarks	not determined
Boiling point	
Remarks	not determined
Flammability	
evaluation	not determined
Explosion limits	
Remarks	not determined
Flash point	
Value	> 100 °C
Ignition temperature	
Remarks	not determined
Thermal decomposition	
Remarks	Not relevant
pH value	
Value	1 to 2
Concentration/H ₂ O	1 %
Remarks	pH value is relevant for classification (Skin corrosion/irritation).
Viscosity	
Value	appr. 20 s
Method	DIN 53211 4 mm
Solubility in other solvents	not determined
Octanol/water partition coefficient (log Pow)	
Remarks	Not relevant
Vapour pressure	
Remarks	not determined
Density	
Value	appr. 1,07 kg/l
Vapour density	
Remarks	not determined
Particle characteristics	
Remarks	irrelevant (liquid)

9.2. Other information

Odour threshold

* Petrosol SBR

Date revised: 13.09.2023

8750029210

Version: 6 / GB

Master No. MA-213

Print date: 17.04.2024

Remarks No data available

Solubility in waterRemarks miscible
No information available.**SECTION 10: Stability and reactivity****10.1. Reactivity**

Product reacts with: Alkalis

10.2. Chemical stability

The product is stable.

10.3. Possibility of hazardous reactions

Reactions with alkalis.

10.4. Conditions to avoid

Protect from heat and direct sunlight.

Thermal decomposition

Remarks Not relevant

10.5. Incompatible materials

Reactions with alkalis. Reactions with metals, with evolution of hydrogen.

10.6. Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Acute oral toxicity**ATE > 10.000 mg/kg
Method calculated value (Regulation (EC) No. 1272/2008)
Based on available data, the classification criteria are not met.**Acute oral toxicity (Components)****alkyl (c12-16) dimethylbenzyl ammonium chloride (adbac/bkc (c12-16))**Reference substance alkyl (c12-16) dimethylbenzyl ammonium chloride (adbac/bkc (c12-16))
Species rat
LD50 397,5 mg/kg**Isotridecanol, ethoxylated (5-20 EO)**Reference substance Isotridecanol, ethoxylated (5-20 EO)
Species rat
LD50 appr. 1000 mg/kg
Source Literature value**Acute dermal toxicity**

Based on available data, the classification criteria are not met.

Acute dermal toxicity (Components)**hydrochloric acid ... %**Reference substance hydrochloric acid ... %
Species rabbit
LD50 > 5010 mg/kg**alkyl (c12-16) dimethylbenzyl ammonium chloride (adbac/bkc (c12-16))**Reference substance alkyl (c12-16) dimethylbenzyl ammonium chloride (adbac/bkc (c12-16))
Species rabbit
LD50 3412 mg/kg**Isotridecanol, ethoxylated (5-20 EO)**

* Petrosol SBR

Date revised: 13.09.2023

8750029210

Version: 6 / GB

Master No. MA-213

Print date: 17.04.2024

Reference substance	Isotridecanol, ethoxylated (5-20 EO)		
Species	rabbit		
LD50	>	2000	mg/kg
Method	Value taken from the literature		

Acute inhalational toxicity

Based on available data, the classification criteria are not met.

Acute inhalative toxicity (Components)**hydrochloric acid ... %**

Reference substance	hydrochloric acid ... %		
Species	rat		
LC50	8,3		mg/l
Duration of exposure	30	min	

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/irritation

evaluation corrosive
The classification criteria are met.

Sensitization

Based on available data, the classification criteria are not met.

Sensitization (Components)

Based on available data, the classification criteria are not met.

Mutagenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT)**Single exposure**

The classification criteria are met.

evaluation May cause respiratory irritation.

Repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards**Endocrine disrupting properties with respect to humans**

The product does not contain a substance that has endocrine disrupting properties with respect to humans.

SECTION 12: Ecological information**12.1. Toxicity****Fish toxicity****hydrochloric acid ... %**

Reference substance	hydrochloric acid ... %		
Species	Bluegill (<i>Lepomis macrochirus</i>)		
LC50	3,25		mg/l
Duration of exposure	96	h	

alkyl (c12-16) dimethylbenzyl ammonium chloride (adbac/bkc (c12-16))

Reference substance alkyl (c12-16) dimethylbenzyl ammonium chloride (adbac/bkc (c12-16))

* Petrosol SBR

Date revised: 13.09.2023

8750029210

Version: 6 / GB

Master No. MA-213

Print date: 17.04.2024

LC50 0,515 mg/l

Isotridecanol, ethoxylated (5-20 EO)

Reference substance	Isotridecanol, ethoxylated (5-20 EO)		
Species	zebra fish (<i>Brachydanio rerio</i>)		
LC50	10	to	100 mg/l
Method	OECD 203		

Daphnia toxicity**hydrochloric acid ... %**

Reference substance	hydrochloric acid ... %		
Species	Daphnia magna		
EC50	4,92		mg/l
Duration of exposure	48	h	

alkyl (c12-16) dimethylbenzyl ammonium chloride (adbac/bkc (c12-16))

Species	Daphnia magna		
EC50	0,016		mg/l
Duration of exposure	48	h	

Isotridecanol, ethoxylated (5-20 EO)

Reference substance	Isotridecanol, ethoxylated (5-20 EO)		
Species	Daphnia magna		
EC50	> 1	to	10 mg/l
Method	OECD 202		

Algae toxicity**hydrochloric acid ... %**

Reference substance	hydrochloric acid ... %		
Species	Chlorella vulgaris		
EC50	0,73		mg/l
Duration of exposure	72	h	
Method	OECD 201		

Bacteria toxicity**hydrochloric acid ... %**

Reference substance	hydrochloric acid ... %		
Species	activated sludge		
EC50	0,23		mg/l
Method	OECD 209		

Isotridecanol, ethoxylated (5-20 EO)

Reference substance	Isotridecanol, ethoxylated (5-20 EO)		
Species	activated sludge		
EC50	140		mg/l
Source	Literature value		

12.2. Persistence and degradability

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.Do not discharge product unmonitored into the environment.

Biodegradability**alkyl (c12-16) dimethylbenzyl ammonium chloride (adbac/bkc (c12-16))**

evaluation	Readily biodegradable (according to OECD criteria)
------------	--

12.3. Bioaccumulative potential

For this subsection there is no ecotoxicological data available on the product as such.

Octanol/water partition coefficient (log Pow)

Remarks	Not relevant
---------	--------------

12.4. Mobility in soil

For this subsection there is no ecotoxicological data available on the product as such.

* Petrosol SBR

Date revised: 13.09.2023

8750029210

Version: 6 / GB

Master No. MA-213

Print date: 17.04.2024

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment

The product contains no PBT substances. The product contains no vPvB substances.

12.6 Endocrine disrupting properties

Endocrine disrupting properties with respect to the environment

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

For this subsection there is no ecotoxicological data available on the product as such.

Behaviour in sewers [waste treatment plants]

The product is an acid. Neutralization is normally necessary before a waste water is discharged into sewage treatment plants.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations for the product

Allocation of a waste code number, according to the European Waste Catalogue (EWC), should be carried out in agreement with the regional waste disposal company.

Disposal recommendations for packaging

Completely emptied packagings can be given for recycling.

SECTION 14: Transport information

* Petrosol SBR



Date revised: 13.09.2023

8750029210

Version: 6 / GB

Master No. MA-213

Print date: 17.04.2024

	Land transport ADR/RID	Marine transport IMDG/GGVSee
14.1. UN number	3264	3264
14.2. UN proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Hydrochloric acid)	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Hydrochloric acid)
14.3. Transport hazard class(es)	8	8
14.4. Packing group	III	III
Label		
14.5. Environmental hazards	-	
Limited Quantity	5 l	5 l
Transport category	3	
Tunnel restriction code	E	
Hazard id. no.	80	
EmS		F-A, S-B

Information for all modes of transport

14.6. Special precautions for user

Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Other information

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information ***

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Ingredients (Regulation (EC) No 648/2004)

less than 5 %:

non-ionic surfactants, cationic surfactants

VOC ***

VOC (EU) 0 %

Other information ***

The product does not contain substances according to: Candidate List for inclusion in Annex XIV of Regulation (EC) No. 1907/2006 (REACH).

* Petrosol SBR

Date revised: 13.09.2023

8750029210

Version: 6 / GB

Master No. MA-213

Print date: 17.04.2024

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Skin Corr. 1	H314	Calculation method
Eye Dam. 1	H318	Calculation method
STOT SE 3	H335	Calculation method
Aquatic Chronic 3	H412	Calculation method
Met. Corr. 1	H290	Calculation method

Hazard statements listed in Chapter 2/3

H228	Flammable solid.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

CLP categories listed in Chapter 2/3

Acute Tox. 4	Acute toxicity, Category 4
Aquatic Acute 1	Hazardous to the aquatic environment, acute, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic, Category 3
Eye Dam. 1	Serious eye damage, Category 1
Flam. Sol. 2	Flammable solid, Category 2
Met. Corr. 1	Substance or mixture corrosive to metals, Category 1
Skin Corr. 1	Skin corrosion, Category 1
Skin Corr. 1B	Skin corrosion, Category 1B
Skin Sens. 1	Skin sensitization, Category 1
STOT SE 3	Specific target organ toxicity - single exposure, Category 3

Abbreviations

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route
 RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses
 GGVSee: Gefahrgutverordnung See
 IMDG: International Maritime Code for Dangerous Goods
 CAS: Chemical Abstracts Service
 EAK: Europäischer Abfallkatalog
 EINECS: European Inventory of Existing Commercial Chemical Substances
 VOC: Volatile Organic Compound
 GefStoffV: Gefahrstoffverordnung
 TA Luft: Technische Anleitung zur Reinhaltung der Luft
 INCI: International Nomenclature of Cosmetic Ingredients
 n.a.g.: nicht anders genannt
 MAK: Maximale Arbeitsplatz-Konzentration
 AGW: Arbeitsplatzgrenzwert
 BGW: Biologischer Grenzwert
 TRGS: Technische Regeln für Gefahrstoffe
 OEL: Occupational exposure limit
 SUVA: Schweizerische Unfallversicherungsanstalt
 WEL: Workplace exposure limit
 MAC: Maximale aanvaarde concentratie (Netherlands)
 MEL: Maximum exposure limits

*** Petrosol SBR**

Date revised: 13.09.2023

8750029210

Version: 6 / GB

Master No. MA-213

Print date: 17.04.2024

NOEL: No observable effect level

NOEC: No observable effect concentration

LD: Lethal dose

LC: Lethal concentration

LLC: Lowest lethal concentration

PBT: Persistent, Bioaccumulative and Toxic

vPvB: Very persistent and very bioaccumulative

SVHC: Substances of very high concern

DNEL: Derived no effect level

DMEL: Derived minimal effect level

PNEC: Predicted no effect concentration

PEC: Predicted environmental concentration

GHS: Globally Harmonized System of classification and Labelling of Chemicals

REACH: Registration, Evaluation, Autohorisation and Restriction of Chemicals

UN: United Nations

EG: Europäische Gemeinschaft

EWG: Europäische Wirtschaftsgemeinschaft

EU: European Union

HSNO: Hazardous Substances and New Organisms Act (New Zealand)

ATE: Acute Toxicity Estimate

STOT: Specific Target Organ Toxicity

IOELV: Indicative Occupational Exposure Limit Values

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: ***

This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.