

* Petrosol SAN

Date revised: 17.07.2023

8750187211

Version: 9 / GB

Master No. MA-213

Print date: 17.04.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

Petrosol SAN

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Cleaning agent/ Cleaner

1.3. Details of the supplier of the safety data sheet

Address/Manufacturer

BÜFA Cleaning GmbH & Co. KG

August-Hanken-Str. 30

26125 Oldenburg

Telephone no. +49 441 9317 0

Fax no. +49 441 9317 100

Information provided Department product safety / +49 441 9317 108

by / telephone

E-Mail sds-cleaning@buefa.de

1.4. Emergency telephone number

Poison Information Center Goettingen: +49 551 19240

SECTION 2: Hazards identification ***

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Acute Tox. 4 H302

Skin Corr. 1B H314

Eye Dam. 1 H318

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008

For explanation of abbreviations see section 16.

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Hazard pictograms ***



Signal word

Danger

Hazard statements

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

Precautionary statements

P280.2 Wear protective gloves/ eye/ face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

* Petrosol SAN

Date revised: 17.07.2023

8750187211

Version: 9 / GB

Master No. MA-213

Print date: 17.04.2024

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER or doctor.

Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

contains Isotridecanol, ethoxylated (5-20 EO); phosphoric acid

2.3. Other hazards

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

SECTION 3: Composition/information on ingredients *****3.2. Mixtures****Hazardous ingredients *******phosphoric acid**

CAS No.	7664-38-2				
EINECS no.	231-633-2				
Registration no.	01-2119485924-24-XXXX				
Concentration	>= 25	<	50		%
Acute Tox. 4	H302				
Met. Corr. 1	H290				
Skin Corr. 1B	H314				

Concentration limits (Regulation (EC) No. 1272/2008)

	Eye Irrit. 2	H319	>= 10 < 25 %
	Skin Corr. 1B	H314	>= 25 %
	Skin Irrit. 2	H315	>= 10 < 25 %
cATpE	oral	500	mg/kg

Additional remarks:

CLP Regulation (EC) No 1272/2008, Annex VI, Note B

ethanol

CAS No.	64-17-5				
EINECS no.	200-578-6				
Registration no.	01-2119457610-43-XXXX				
Concentration	>= 1	<	10		%
Flam. Liq. 2	H225				
Eye Irrit. 2	H319				

Isotridecanol, ethoxylated (5-20 EO)

CAS No.	69011-36-5				
EINECS no.	500-241-6				
Registration no.	01-2119976362-32-XXXX				
Concentration	>= 1	<	3		%
Acute Tox. 4	H302				
Eye Dam. 1	H318				

Concentration limits (Regulation (EC) No. 1272/2008)

	Eye Irrit. 2	H319	>= 1 < 10 %
	Eye Dam. 1	H318	>= 10
ATE	oral	1.000	mg/kg

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

* Petrosol SAN

Date revised: 17.07.2023

8750187211

Version: 9 / GB

Master No. MA-213

Print date: 17.04.2024

4.1. Description of first aid measures

After inhalation

Ensure supply of fresh air. Summon a doctor immediately.

After skin contact

Wash off immediately with soap and water.

After eye contact

In case of contact with the eyes rinse thoroughly with plenty of water or with an eye-cleaning solution.

Seek medical advice immediately.

After ingestion

Do not induce vomiting. Call in a physician immediately and show him the Safety Data Sheet.

4.2. Most important symptoms and effects, both acute and delayed

There is no further relevant information available

4.3. Indication of any immediate medical attention and special treatment needed

There is no further relevant information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide, Dry powder, Water spray jet, Extinguishing measures to suit surroundings

Non suitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

5.3. Advice for firefighters

Use self-contained breathing apparatus.

Cool endangered containers with water spray jet.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Keep people away and stay on the upwind side. Use breathing apparatus if exposed to vapours/dust/aerosol. Use personal protective clothing.

6.2. Environmental precautions

Do not allow to enter drains or waterways.

6.3. Methods and material for containment and cleaning up

Take up with absorbent material (eg sand, kieselguhr, universal binder). When picked up, treat material as prescribed under Section 13 "Disposal".

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Provide good ventilation of working area (local exhaust ventilation if necessary).

Containers in danger should be cooled with water.

7.2. Conditions for safe storage, including any incompatibilities

Keep only in original packaging. Provide acid-resistant floor. Store product in closed containers.

Do not store together with: Alkalis

* Petrosol SAN

Date revised: 17.07.2023

8750187211

Version: 9 / GB

Master No. MA-213

Print date: 17.04.2024

Protect from heat and direct sunlight.

7.3. Specific end use(s)

No information available

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Exposure limit values****ethanol**

List	EH40			
Type	WEL			
Value	1920	mg/m ³	1000	ppm(V)

phosphoric acid ... %

List	EH40			
Type	WEL			
Value	1	mg/m ³		
Short term exposure limit	2	mg/m ³		

phosphoric acid ... %

List	IOELV			
Type	IOELV			
Value	1	mg/m ³		
Short term exposure limit	2	mg/m ³		

8.2. Exposure controls**General protective and hygiene measures**

Observe the usual precautions for handling chemicals. Personal protective equipment must comply with the Regulation (EC) No 2016/425 and the resulting CEN standards. The following information on personal protective equipment (PPE) is to be understood as a suggestion. The selection of the necessary PPE must be considered by the employer depending on the activities to be carried out and the local conditions. If it is determined during the on-site risk assessment that there is no danger to the employee, there is no need to wear PPE or the scope of the PPE to be used can be adjusted accordingly.

Respiratory protection

Breathing apparatus in the event of aerosol or mist formation. Short term: filter apparatus, Filter B

Hand protection

Chemical resistant gloves

Appropriate Material	nitrile		
Material thickness	>=	0,7	mm
Breakthrough time	>	480	min

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leaktightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Eye protection

Tightly fitting safety glasses

Body protection

Acid-resistant protective clothing

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state	liquid
Colour	green
Odour	like pine tree needles

* Petrosol SAN

Date revised: 17.07.2023

8750187211

Version: 9 / GB

Master No. MA-213

Print date: 17.04.2024

Melting point

Remarks not determined

Boiling point

Remarks not determined

Flammability

evaluation not determined

Explosion limits

Remarks not determined

Flash point

Value > 100 °C

Ignition temperature

Remarks not determined

Thermal decomposition

Remarks Not relevant

pH valueValue appr. 2,0
Concentration/H₂O 1 %**Viscosity**Value appr. 20 s
Method DIN 53211 4 mm**Solubility in other solvents**

not determined

Octanol/water partition coefficient (log Pow)

Remarks Not relevant

Vapour pressure

Remarks not determined

Density

Value appr. 1,14 kg/l

Vapour density

Remarks not determined

Particle characteristics

Remarks irrelevant (liquid)

9.2. Other information**Odour threshold**

Remarks No data available

Solubility in waterRemarks miscible
No information available.**SECTION 10: Stability and reactivity****10.1. Reactivity**

Product reacts with: Alkalis

10.2. Chemical stability

The product is stable.

10.3. Possibility of hazardous reactions

Reactions with alkalis.

10.4. Conditions to avoid

* Petrosol SAN

Date revised: 17.07.2023

8750187211

Version: 9 / GB

Master No. MA-213

Print date: 17.04.2024

Protect from heat and direct sunlight.

Thermal decomposition

Remarks Not relevant

10.5. Incompatible materials

Reactions with alkalis. Reactions with metals, with evolution of hydrogen.

10.6. Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Acute oral toxicity**

ATE	1.842	mg/kg
Method	calculated value (Regulation (EC) No. 1272/2008)	
The classification criteria are met.		

Acute oral toxicity (Components)**Isotridecanol, ethoxylated (5-20 EO)**

Reference substance	Isotridecanol, ethoxylated (5-20 EO)	
Species	rat	
LD50	appr. 1000	mg/kg
Source	Literature value	

Acute dermal toxicity

Based on available data, the classification criteria are not met.

Acute dermal toxicity (Components)**Isotridecanol, ethoxylated (5-20 EO)**

Reference substance	Isotridecanol, ethoxylated (5-20 EO)	
Species	rabbit	
LD50	> 2000	mg/kg
Method	Value taken from the literature	

Acute inhalational toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

evaluation	corrosive
The classification criteria are met.	

Serious eye damage/irritation

evaluation	corrosive
The classification criteria are met.	

Sensitization

Based on available data, the classification criteria are not met.

Sensitization (Components)

Based on available data, the classification criteria are not met.

Mutagenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT)**Single exposure**

Based on available data, the classification criteria are not met.

* Petrosol SAN

Date revised: 17.07.2023

8750187211

Version: 9 / GB

Master No. MA-213

Print date: 17.04.2024

Repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards**Endocrine disrupting properties with respect to humans**

The product does not contain a substance that has endocrine disrupting properties with respect to humans.

SECTION 12: Ecological information**12.1. Toxicity****Fish toxicity****Isotridecanol, ethoxylated (5-20 EO)**

Reference substance	Isotridecanol, ethoxylated (5-20 EO)		
Species	zebra fish (<i>Brachydanio rerio</i>)		
LC50	10	to	100 mg/l
Method	OECD 203		

Daphnia toxicity**Isotridecanol, ethoxylated (5-20 EO)**

Reference substance	Isotridecanol, ethoxylated (5-20 EO)		
Species	Daphnia magna		
EC50	> 1	to	10 mg/l
Method	OECD 202		

Algae toxicity

For this subsection there is no ecotoxicological data available on the product as such.

Bacteria toxicity**Isotridecanol, ethoxylated (5-20 EO)**

Reference substance	Isotridecanol, ethoxylated (5-20 EO)		
Species	activated sludge		
EC50	140		mg/l
Source	Literature value		

12.2. Persistence and degradability

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.Do not discharge product unmonitored into the environment.

12.3. Bioaccumulative potential

For this subsection there is no ecotoxicological data available on the product as such.

Octanol/water partition coefficient (log Pow)

Remarks Not relevant

12.4. Mobility in soil

For this subsection there is no ecotoxicological data available on the product as such.

12.5. Results of PBT and vPvB assessment**Results of PBT and vPvB assessment**

The product contains no PBT substances. The product contains no vPvB substances.

12.6 Endocrine disrupting properties**Endocrine disrupting properties with respect to the environment**

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

* Petrosol SAN

Date revised: 17.07.2023

8750187211

Version: 9 / GB

Master No. MA-213

Print date: 17.04.2024

12.7. Other adverse effects

For this subsection there is no ecotoxicological data available on the product as such.

Behaviour in sewers [waste treatment plants]

The product is an acid. Neutralization is normally necessary before a waste water is discharged into sewage treatment plants.

SECTION 13: Disposal considerations

13.1. Waste treatment methods



Disposal recommendations for the product

Allocation of a waste code number, according to the European Waste Catalogue (EWC), should be carried out in agreement with the regional waste disposal company.

Disposal recommendations for packaging

Completely emptied packagings can be given for recycling.

SECTION 14: Transport information

	Land transport ADR/RID	Marine transport IMDG/GGVSee
14.1. UN number	3264	3264
14.2. UN proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (phosphoric acid)	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (phosphoric acid)
14.3. Transport hazard class(es)	8	8
14.4. Packing group	III	III
Label		
14.5. Environmental hazards	-	-
Limited Quantity	5 l	5 l
Transport category	3	
Tunnel restriction code	E	
Hazard id. no.	80	
EmS		F-A, S-B

Information for all modes of transport

14.6. Special precautions for user

Ensure that persons transporting the product know what to do in the event of an accident or spillage.

* Petrosol SAN

Date revised: 17.07.2023

8750187211

Version: 9 / GB

Master No. MA-213

Print date: 17.04.2024

Other information**14.7 Maritime transport in bulk according to IMO instruments**

Not relevant

SECTION 15: Regulatory information *****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****Ingredients (Regulation (EC) No 648/2004)****less than 5 %:**

non-ionic surfactants

VOC ***

VOC (EU) 4,93 %

Other information ***

The product does not contain substances according to: Candidate List for inclusion in Annex XIV of Regulation (EC) No. 1907/2006 (REACH).

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information**Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:**

Acute Tox. 4	H302	Calculation method
Skin Corr. 1B	H314	Calculation method
Eye Dam. 1	H318	Calculation method

Hazard statements listed in Chapter 2/3

H225	Highly flammable liquid and vapour.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

CLP categories listed in Chapter 2/3

Acute Tox. 4	Acute toxicity, Category 4
Eye Dam. 1	Serious eye damage, Category 1
Eye Irrit. 2	Eye irritation, Category 2
Flam. Liq. 2	Flammable liquid, Category 2
Met. Corr. 1	Substance or mixture corrosive to metals, Category 1
Skin Corr. 1B	Skin corrosion, Category 1B

Abbreviations

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route
 RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses
 GGVSee: Gefahrgutverordnung See
 IMDG: International Maritime Code for Dangerous Goods
 CAS: Chemical Abstracts Service
 EAK: Europäischer Abfallkatalog
 EINECS: European Inventory of Existing Commercial Chemical Substances
 VOC: Volatile Organic Compound
 GefStoffV: Gefahrstoffverordnung
 TA Luft: Technische Anleitung zur Reinhaltung der Luft
 INCI: International Nomenclature of Cosmetic Ingredients
 n.a.g.: nicht anders genannt
 MAK: Maximale Arbeitsplatz-Konzentration

*** Petrosol SAN**

Date revised: 17.07.2023

8750187211

Version: 9 / GB

Master No. MA-213

Print date: 17.04.2024

AGW: Arbeitsplatzgrenzwert
BGW: Biologischer Grenzwert
TRGS: Technische Regeln für Gefahrstoffe
OEL: Occupational exposure limit
SUVA: Schweizerische Unfallversicherungsanstalt
WEL: Workplace exposure limit
MAC: Maximale aanvaarde concentratie (Netherlands)
MEL: Maximum exposure limits
NOEL: No observable effect level
NOEC: No observable effect concentration
LD: Lethal dose
LC: Lethal concentration
LLC: Lowest lethal concentration
PBT: Persistent, Bioaccumulative and Toxic
vPvB: Very persistent and very bioaccumulative
SVHC: Substances of very high concern
DNEL: Derived no effect level
DMEL: Derived minimal effect level
PNEC: Predicted no effect concentration
PEC: Predicted environmental concentration
GHS: Globally Harmonized System of classification and Labelling of Chemicals
REACH: Registration, Evaluation, Autohorisation and Restriction of Chemicals
UN: United Nations
EG: Europäische Gemeinschaft
EWG: Europäische Wirtschaftsgemeinschaft
EU: European Union
HSNO: Hazardous Substances and New Organisms Act (New Zealand)
ATE: Acute Toxicity Estimate
STOT: Specific Target Organ Toxicity
IOELV: Indicative Occupational Exposure Limit Values

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: ***
This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.