

* Oldomat HW

Date revised: 21.11.2023

8750031511

Version: 5 / GB

Master No. MA-212

Print date: 17.04.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

Oldomat HW

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Alkaline cleaner/ detergent

1.3. Details of the supplier of the safety data sheet

Address/Manufacturer

BÜFA Cleaning GmbH & Co. KG

August-Hanken-Str. 30

26125 Oldenburg

Telephone no. +49 441 9317 0

Fax no. +49 441 9317 100

Information provided Department product safety / +49 441 9317 108

by / telephone

E-Mail sds-cleaning@buefa.de

1.4. Emergency telephone number

Poison Information Center Goettingen: +49 551 19240

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Skin Corr. 1A H314

Eye Dam. 1 H318

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008

For explanation of abbreviations see section 16.

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008**Hazard pictograms****Signal word**

Danger

Hazard statements

H314 Causes severe skin burns and eye damage.

Precautionary statements

P280.2 Wear protective gloves/ eye/ face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

* Oldomat HW

Date revised: 21.11.2023

8750031511

Version: 5 / GB

Master No. MA-212

Print date: 17.04.2024

P310

Immediately call a POISON CENTER or doctor.

Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

contains

Potassium hydroxide; (1-Hydroxyethylidene) bisphosphonic acid

2.3. Other hazards

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Hazardous ingredients****Potassium hydroxide**

CAS No.	1310-58-3				
EINECS no.	215-181-3				
Registration no.	01-2119487136-33-XXXX				
Concentration	>= 16	<	17	%	
Acute Tox. 4	H302				
Skin Corr. 1A	H314				
Met. Corr. 1	H290				

Concentration limits (Regulation (EC) No. 1272/2008)

	Eye Irrit. 2	H319	>= 0,5 < 2 %
	Skin Corr. 1A	H314	>= 5 %
	Skin Corr. 1B	H314	>= 2 < 5 %
	Skin Irrit. 2	H315	>= 0,5 < 2 %
ATE	oral	333	mg/kg

Silicic acid, potassium salt

CAS No.	1312-76-1				
EINECS no.	215-199-1				
Registration no.	01-2119456888-17-XXXX				
Concentration	>= 1	<	10	%	
Skin Irrit. 2	H315				
Eye Irrit. 2	H319				
STOT SE 3	H335				

(1-Hydroxyethylidene) bisphosphonic acid

CAS No.	2809-21-4				
EINECS no.	220-552-8				
Registration no.	01-2119510391-53-XXXX				
Concentration	>= 1	<	1,9	%	
Met. Corr. 1	H290				
Acute Tox. 4	H302				
Eye Dam. 1	H318				

ATE	oral	1.878	mg/kg
-----	------	-------	-------

For explanation of abbreviations see section 16.

SECTION 4: First aid measures**4.1. Description of first aid measures****After inhalation**

Ensure supply of fresh air. Summon a doctor immediately.

* Oldomat HW

Date revised: 21.11.2023

8750031511

Version: 5 / GB

Master No. MA-212

Print date: 17.04.2024

After skin contact

Wash off immediately with soap and water.

After eye contact

In case of contact with the eyes rinse thoroughly with plenty of water or with an eye-cleaning solution. Seek medical advice immediately.

After ingestion

Do not induce vomiting. Call in a physician immediately and show him the Safety Data Sheet.

4.2. Most important symptoms and effects, both acute and delayed

There is no further relevant information available

4.3. Indication of any immediate medical attention and special treatment needed

There is no further relevant information available

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Carbon dioxide, Dry powder, Water spray jet, Extinguishing measures to suit surroundings

Non suitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible. If a fire breaks out nearby, pressure build-up and danger of bursting are possible.

5.3. Advice for firefighters

Use self-contained breathing apparatus.
Cool endangered containers with water spray jet.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Keep people away and stay on the upwind side. Use breathing apparatus if exposed to vapours/dust/aerosol. Use personal protective clothing.

6.2. Environmental precautions

Do not allow to enter drains or waterways.

6.3. Methods and material for containment and cleaning up

Take up with absorbent material (eg sand, kieselguhr, universal binder). When picked up, treat material as prescribed under Section 13 "Disposal".

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage**7.1. Precautions for safe handling**

Provide good ventilation of working area (local exhaust ventilation if necessary). Containers in danger should be cooled with water.

7.2. Conditions for safe storage, including any incompatibilities

Keep only in original packaging. Provide alkali-resistant floor. Store product in closed containers. Do not store together with: Acids, Aluminium
Keep container tightly closed.

7.3. Specific end use(s)

No information available

* Oldomat HW

Date revised: 21.11.2023

8750031511

Version: 5 / GB

Master No. MA-212

Print date: 17.04.2024

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limit values

Potassium hydroxide

List	EH40		
Type	WEL		
Short term exposure limit	2	mg/m ³	
Maximum limit value;	Skin resorption / sensibilisation: Pregnancy group: Status: 2005		

8.2. Exposure controls

General protective and hygiene measures

Observe the usual precautions for handling chemicals. Personal protective equipment must comply with the Regulation (EC) No 2016/425 and the resulting CEN standards. The following information on personal protective equipment (PPE) is to be understood as a suggestion. The selection of the necessary PPE must be considered by the employer depending on the activities to be carried out and the local conditions. If it is determined during the on-site risk assessment that there is no danger to the employee, there is no need to wear PPE or the scope of the PPE to be used can be adjusted accordingly.

Respiratory protection

Breathing apparatus in the event of aerosol or mist formation. Short term: filter apparatus, Filter B

Hand protection

Chemical resistant gloves

Appropriate Material	nitrile		
Material thickness	>=	0,7	mm
Breakthrough time	>	480	min

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leaktightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Eye protection

Tightly fitting safety glasses

Body protection

Alkali-resistant protective clothing

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	liquid		
Colour	yellowish, clear		
Odour	odourless		
Melting point			
Remarks	not determined		
Boiling point			
Remarks	not determined		
Flammability			
evaluation	not determined		
Explosion limits			
Remarks	not determined		
Flash point			
Value	>	100	°C

* Oldomat HW

Date revised: 21.11.2023

8750031511

Version: 5 / GB

Master No. MA-212

Print date: 17.04.2024

Ignition temperature

Remarks not determined

Thermal decomposition

Remarks Not relevant

pH valueValue appr. 12,6
Concentration/H₂O 1 %**Viscosity**Value appr. 15 s
Method DIN 53211 4 mm**Solubility in other solvents**

not determined

Octanol/water partition coefficient (log Pow)

Remarks Not relevant

Vapour pressure

Remarks not determined

Density

Value appr. 1,23 kg/l

Vapour density

Remarks not determined

Particle characteristics

Remarks irrelevant (liquid)

9.2. Other information**Odour threshold**

Remarks No data available

Solubility in water

Remarks miscible

SECTION 10: Stability and reactivity**10.1. Reactivity**

Corrodes aluminium.

10.2. Chemical stability

The product is stable.

10.3. Possibility of hazardous reactions

Strong exothermic reaction with acids.

10.4. Conditions to avoid

Protect from heat and direct sunlight.

Thermal decomposition

Remarks Not relevant

10.5. Incompatible materials

Strong exothermic reaction with acids. Reactions with metals, with evolution of hydrogen.

10.6. Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information**11.1. Information on toxicological effects**

* Oldomat HW

Date revised: 21.11.2023

8750031511

Version: 5 / GB

Master No. MA-212

Print date: 17.04.2024

Acute oral toxicity

ATE	2.004	mg/kg
Method	calculated value (Regulation (EC) No. 1272/2008)	
Based on available data, the classification criteria are not met.		

Acute oral toxicity (Components)**Potassium hydroxide**

Reference substance	potassium hydroxide ...%	
ATE	333	mg/kg

(1-Hydroxyethylidene) bisphosphonic acid

LD50	1878	mg/kg
------	------	-------

Acute dermal toxicity

Based on available data, the classification criteria are not met.

Acute inhalational toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

evaluation	corrosive
The classification criteria are met.	

Serious eye damage/irritation

evaluation	corrosive
The classification criteria are met.	

Sensitization

Based on available data, the classification criteria are not met.

Sensitization (Components)

Based on available data, the classification criteria are not met.

Mutagenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT)**Single exposure**

Based on available data, the classification criteria are not met.

Repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards**Endocrine disrupting properties with respect to humans**

The product does not contain a substance that has endocrine disrupting properties with respect to humans.

SECTION 12: Ecological information**12.1. Toxicity****Fish toxicity****Silicic acid, potassium salt**

Reference substance	Silicic acid, potassium salt	
Species	golden orfe (Leuciscus idus)	
LC50	> 146	mg/l

* Oldomat HW

Date revised: 21.11.2023

8750031511

Version: 5 / GB

Master No. MA-212

Print date: 17.04.2024

Duration of exposure 48 h

Daphnia toxicity

For this subsection there is no ecotoxicological data available on the product as such.

Algae toxicity

For this subsection there is no ecotoxicological data available on the product as such.

Bacteria toxicity

For this subsection there is no ecotoxicological data available on the product as such.

12.2. Persistence and degradability

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.Do not discharge product unmonitored into the environment.

12.3. Bioaccumulative potential

For this subsection there is no ecotoxicological data available on the product as such.

Octanol/water partition coefficient (log Pow)

Remarks Not relevant

12.4. Mobility in soil

For this subsection there is no ecotoxicological data available on the product as such.

12.5. Results of PBT and vPvB assessment**Results of PBT and vPvB assessment**

The product contains no PBT substances. The product contains no vPvB substances.

12.6 Endocrine disrupting properties**Endocrine disrupting properties with respect to the environment**

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

For this subsection there is no ecotoxicological data available on the product as such.

Behaviour in sewers [waste treatment plants]

The product is an alkaline solution. Neutralization is normally necessary before a waste water is discharged into sewage treatment plants.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations for the product**

Allocation of a waste code number, according to the European Waste Catalogue (EWC), should be carried out in agreement with the regional waste disposal company.

Disposal recommendations for packaging

Completely emptied packagings can be given for recycling.

SECTION 14: Transport information

* Oldomat HW



Date revised: 21.11.2023

8750031511

Version: 5 / GB

Master No. MA-212

Print date: 17.04.2024

	Land transport ADR/RID	Marine transport IMDG/GGVSee
14.1. UN number	3266	3266
14.2. UN proper shipping name	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Potassium hydroxide)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Potassium hydroxide)
14.3. Transport hazard class(es)	8	8
14.4. Packing group	II	II
Label		
14.5. Environmental hazards	-	-
Limited Quantity	1 I	1 I
Transport category	2	
Tunnel restriction code	E	
Hazard id. no.	80	
EmS		F-A, S-B

Information for all modes of transport

14.6. Special precautions for user

Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Other information

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Ingredients (Regulation (EC) No 648/2004)

5 % or over but less than 15 %:

polycarboxylates

less than 5 %:

phosphonates

Further ingredients

reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1)

* Oldomat HW

Date revised: 21.11.2023

8750031511

Version: 5 / GB

Master No. MA-212

Print date: 17.04.2024

VOC

VOC (EU) 0 %

Other information

The product does not contain substances according to: Candidate List for inclusion in Annex XIV of Regulation (EC) No. 1907/2006 (REACH).

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information**Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:**

Skin Corr. 1A	H314	Calculation method
Eye Dam. 1	H318	Calculation method

Hazard statements listed in Chapter 2/3

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

CLP categories listed in Chapter 2/3

Acute Tox. 4	Acute toxicity, Category 4
Eye Dam. 1	Serious eye damage, Category 1
Eye Irrit. 2	Eye irritation, Category 2
Met. Corr. 1	Substance or mixture corrosive to metals, Category 1
Skin Corr. 1A	Skin corrosion, Category 1A
Skin Irrit. 2	Skin irritation, Category 2
STOT SE 3	Specific target organ toxicity - single exposure, Category 3

Abbreviations

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route
 RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses
 GGVSee: Gefahrgutverordnung See
 IMDG: International Maritime Code for Dangerous Goods
 CAS: Chemical Abstracts Service
 EAK: Europäischer Abfallkatalog
 EINECS: European Inventory of Existing Commercial Chemical Substances
 VOC: Volatile Organic Compound
 GefStoffV: Gefahrstoffverordnung
 TA Luft: Technische Anleitung zur Reinhaltung der Luft
 INCI: International Nomenclature of Cosmetic Ingredients
 n.a.g.: nicht anders genannt
 MAK: Maximale Arbeitsplatz-Konzentration
 AGW: Arbeitsplatzgrenzwert
 BGW: Biologischer Grenzwert
 TRGS: Technische Regeln für Gefahrstoffe
 OEL: Occupational exposure limit
 SUVA: Schweizerische Unfallversicherungsanstalt
 WEL: Workplace exposure limit
 MAC: Maximale aanvaarde concentratie (Netherlands)
 MEL: Maximum exposure limits
 NOEL: No observable effect level
 NOEC: No observable effect concentration
 LD: Lethal dose
 LC: Lethal concentration

*** Oldomat HW**

Date revised: 21.11.2023

8750031511

Version: 5 / GB

Master No. MA-212

Print date: 17.04.2024

LLC: Lowest lethal concentration

PBT: Persistent, Bioaccumulative and Toxic

vPvB: Very persistent and very bioaccumulative

SVHC: Substances of very high concern

DNEL: Derived no effect level

DMEL: Derived minimal effect level

PNEC: Predicted no effect concentration

PEC: Predicted environmental concentration

GHS: Globally Harmonized System of classification and Labelling of Chemicals

REACH: Registration, Evaluation, Autohorisation and Restriction of Chemicals

UN: United Nations

EG: Europäische Gemeinschaft

EWG: Europäische Wirtschaftsgemeinschaft

EU: European Union

HSNO: Hazardous Substances and New Organisms Act (New Zealand)

ATE: Acute Toxicity Estimate

STOT: Specific Target Organ Toxicity

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: ***

This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.