

Hypur Special

Odor absorber with strong deodorizing effect

Properties

- Elimination of strong odors before and after textile care; even unpleasant burnt odor
- Universally applicable in laundry, carpet care and textile cleaning
- Suitable for wet spotting of e.g. sweat, nicotine and urine stains
- Can be used on all textiles, caution is advised for sensitive wool articles

Application

Hypur Spezial is a concentrated odor absorber that can be used as a spray and pre-brushing agent for e.g. urine and perspiration stains. In the case of sensitive dyeings and fibers, a hem test must be carried out in advance.

Spray application for wPre-brushing agent for water and perc (not suitable for HC)

Hypur Spezial is applied undiluted or mixed with a pre-brushing agent (e.g. Devantol Super) with a brush to the soiled parts. After a maximum reaction time of 10 min, the pre-treated textiles Application for Jet-Clean technology

Hypur Special is sprayed onto the textiles pure or diluted up to 1:5 with water and then cleaned in the Jet-Clean machine. To achieve an optimum rinse result, a program should be selected in which the textiles are s

Technical data

Density (20°C)	pH-value
1,00 kg / l	6 - 7

Notes

Only store the product in its original container and in a frost-free place.

The product is not sensitive to frost, but becomes viscous and can even solidify if stored below 0 °C for longer periods. After warming up, however, it can be used again without any loss of quality.

For commercial use only. This leaflet is for non-binding information only. The information is based on our current knowledge and experience. In any case, the user is obliged to carry out his own tests and trials to check the suitability of the products for his intended processes and purposes. The information in this leaflet does not constitute a guarantee for the quality and durability of the goods to be supplied by us. We reserve the right to make technical changes within the scope of what is reasonable. The current version of the corresponding EU safety data sheet must also be observed.