

\* SECASENE Lotus

Date revised: 12.04.2024

# 8240040221

Version: 4 / GB

Master No. MA-231

Print date: 25.04.2024

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

**Trade name**

SECASENE Lotus

### **1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Use of the substance/mixture**

Impregnating agent

### **1.3. Details of the supplier of the safety data sheet**

**Address/Manufacturer**

BÜFA Cleaning GmbH &amp; Co. KG

August-Hanken-Str. 30

26125 Oldenburg

Telephone no. +49 441 9317 0

Fax no. +49 441 9317 100

Information provided Department product safety / +49 441 9317 108

by / telephone

E-Mail sds-cleaning@buefa.de

### **1.4. Emergency telephone number**

Poison Information Center Goettingen: +49 551 19240

## **SECTION 2: Hazards identification \*\*\***

### **2.1. Classification of the substance or mixture**

**Classification (Regulation (EC) No. 1272/2008)**

Flam. Liq. 3 H226

Asp. Tox. 1 H304

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008

For explanation of abbreviations see section 16.

### **2.2. Label elements**

**Labelling according to regulation (EC) No 1272/2008****Hazard pictograms \*\*\*****Signal word**

Danger

**Hazard statements \*\*\***

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

**Precautionary statements \*\*\***

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P280.2 Wear protective gloves/ eye/ face protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

\* SECASENE Lotus

Date revised: 12.04.2024

# 8240040221

Version: 4 / GB

Master No. MA-231

Print date: 25.04.2024

P331

Do NOT induce vomiting.

P403+P233

Store in a well-ventilated place. Keep container tightly closed.

**Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)**

contains

hydrocarbons, C11-C13, isoalkanes, &lt;2% aromatics; Hydrocarbons, C11-C12, isoalkanes

**Sensitising substances****Supplemental information**

EUH066

Repeated exposure may cause skin dryness or cracking.

**2.3. Other hazards**

\*\*\*

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

**SECTION 3: Composition/information on ingredients****3.2. Mixtures****Hazardous ingredients****hydrocarbons, C11-C13, isoalkanes, <2% aromatics**

CAS No.	246538-78-3				
EINECS no.	920-901-0				
Registration no.	01-2119456810-40-XXXX				
Concentration	>=	25	<	50	%
Asp. Tox. 1	H304				

**Hydrocarbons, C11-C12, isoalkanes**

EINECS no.	918-167-1				
Registration no.	01-2119472146-39-XXXX				
Concentration	>=	1	<	10	%
Flam. Liq. 3	H226				
Asp. Tox. 1	H304				

**Further ingredients****(2-Methoxymethylethoxy)-propanol (mixed isomers)**

CAS No.	34590-94-8			EINECS no.	252-104-2
Registration no.	01-2119450011-60-XXXX				
Concentration	>=	1	<	10	% [3]

**Note**

[3] Substance with occupational exposure limits  
For explanation of abbreviations see section 16.

**SECTION 4: First aid measures****4.1. Description of first aid measures****After inhalation**

Ensure supply of fresh air. In the event of symptoms take medical treatment.

**After skin contact**

Wash off immediately with soap and water.

**After eye contact**

In case of contact with the eyes rinse thoroughly with plenty of water or with an eye-cleaning solution. Seek medical advice immediately.

\* SECASENE Lotus

Date revised: 12.04.2024

# 8240040221

Version: 4 / GB

Master No. MA-231

Print date: 25.04.2024

**After ingestion**

Rinse out mouth and give plenty of water to drink. Seek medical advice immediately.

**4.2. Most important symptoms and effects, both acute and delayed**

There is no further relevant information available

**4.3. Indication of any immediate medical attention and special treatment needed**

There is no further relevant information available

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Carbon dioxide, Dry powder, Water spray jet

**5.2. Special hazards arising from the substance or mixture**

If a fire breaks out nearby, pressure build-up and danger of bursting are possible.

**5.3. Advice for firefighters**

Cool endangered containers with water spray jet.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

High risk of slipping due to leakage/spillage of product. Use personal protective clothing. Keep away sources of ignition.

**6.2. Environmental precautions**

Do not allow to enter drains or waterways.

**6.3. Methods and material for containment and cleaning up**

Take up with absorbent material (eg sand, kieselguhr, universal binder). When picked up, treat material as prescribed under Section 13 "Disposal".

**6.4. Reference to other sections**

Refer to protective measures listed in Sections 7 and 8.

**SECTION 7: Handling and storage****7.1. Precautions for safe handling**

Observe the usual precautions for handling chemicals. Provide good ventilation of working area (local exhaust ventilation if necessary).

Keep away from sources of ignition - No smoking. Take action to prevent static discharges. Vapours can form an explosive mixture with air.

**7.2. Conditions for safe storage, including any incompatibilities**

Emptied containers may contain product residues and therefore must be handled with care. Reuse only after appropriate cleaning. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Protect from heat and direct sunlight.

**7.3. Specific end use(s)**

No information available

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****Exposure limit values**

(2-Methoxymethylethoxy)-propanol (mixed isomers)

\* SECASENE Lotus

Date revised: 12.04.2024

# 8240040221

Version: 4 / GB

Master No. MA-231

Print date: 25.04.2024

List	EH40		
Type	WEL		
Value	308	mg/m <sup>3</sup>	50 ppm(V)
Maximum limit value; Skin resorption / sensibilisation: Sk; Pregnancy group; Status; Remarks: Sk			

**(2-Methoxymethylethoxy)-propanol (mixed isomers)**

List	IOELV		
Type	IOELV		
Value	308	mg/m <sup>3</sup>	50 ppm(V)
Maximum limit value; Skin resorption / sensibilisation: Sk; Pregnancy group; Status; Remarks: Skin			

**8.2. Exposure controls****General protective and hygiene measures**

Observe the usual precautions for handling chemicals. The following information on personal protective equipment (PPE) is to be understood as a suggestion. The selection of the necessary PPE must be considered by the employer depending on the activities to be carried out and the local conditions. If it is determined during the on-site risk assessment that there is no danger to the employee, there is no need to wear PPE or the scope of the PPE to be used can be adjusted accordingly.

**Respiratory protection**

Not necessary.

**Hand protection**

Chemical resistant gloves

Appropriate Material	nitrile		
Material thickness	>	0,35	mm
Breakthrough time	>	480	min

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leaktightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

**Eye protection**

Tightly fitting safety glasses

**Body protection**

Clothing as usual in the chemical industry.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

<b>Physical state</b>	liquid		
<b>Colour</b>	colourless		
<b>Odour</b>	Product specific		
<b>Melting point</b>			
Remarks	not determined		
<b>Boiling point</b>			
Remarks	not determined		
<b>Flammability</b>			
evaluation	not determined		
<b>Explosion limits</b>			
Remarks	not determined		
<b>Flash point</b>			
Value	appr.	58	°C
<b>Ignition temperature</b>			
Remarks	not determined		

\* SECASENE Lotus

Date revised: 12.04.2024

# 8240040221

Version: 4 / GB

Master No. MA-231

Print date: 25.04.2024

**Thermal decomposition**

Remarks Not relevant

**Solubility in other solvents**

not determined

**Octanol/water partition coefficient (log Pow)**

Remarks Not relevant

**Vapour pressure**

Remarks not determined

**Density**

Value appr. 0,82 kg/l

**Vapour density**

Remarks not determined

**Particle characteristics**

Remarks irrelevant (liquid)

**9.2. Other information****Odour threshold**

Remarks No data available

**SECTION 10: Stability and reactivity****10.1. Reactivity**

No hazardous reactions when stored and handled according to prescribed instructions.

**10.2. Chemical stability**

The product is stable.

**10.3. Possibility of hazardous reactions**

Under normal conditions of storage and use, hazardous reactions will not occur.

**10.4. Conditions to avoid**

Protect from heat and direct sunlight.

**Thermal decomposition**

Remarks Not relevant

**10.5. Incompatible materials**

None known

**10.6. Hazardous decomposition products**

No hazardous decomposition products known.

**SECTION 11: Toxicological information****11.1. Information on toxicological effects****Acute oral toxicity**

Based on available data, the classification criteria are not met.

**Acute oral toxicity (Components)****(2-Methoxymethylethoxy)-propanol (mixed isomers)**

Species	rat		
LD50	5135		mg/kg

**Acute dermal toxicity**

Based on available data, the classification criteria are not met.

**Acute dermal toxicity (Components)****(2-Methoxymethylethoxy)-propanol (mixed isomers)**

\* SECASENE Lotus

Date revised: 12.04.2024

# 8240040221

Version: 4 / GB

Master No. MA-231

Print date: 25.04.2024

Species	rabbit		
LD50	9510		mg/kg

**Acute inhalational toxicity**

Based on available data, the classification criteria are not met.

**Acute inhalative toxicity (Components)****(2-Methoxymethylethoxy)-propanol (mixed isomers)**

Species	rat		
LC50	60		mg/l
Duration of exposure	4	h	

**Skin corrosion/irritation**

Based on available data, the classification criteria are not met.

**Serious eye damage/irritation**

Based on available data, the classification criteria are not met.

**Sensitization**

Based on available data, the classification criteria are not met.

**Sensitization (Components)**

Based on available data, the classification criteria are not met.

**Mutagenicity**

Based on available data, the classification criteria are not met.

**Reproductive toxicity**

Based on available data, the classification criteria are not met.

**Carcinogenicity**

Based on available data, the classification criteria are not met.

**Specific Target Organ Toxicity (STOT)****Single exposure**

Based on available data, the classification criteria are not met.

**Repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

The classification criteria are met.  
Harmful: may cause lung damage if swallowed.

**11.2 Information on other hazards****Endocrine disrupting properties with respect to humans**

The product does not contain a substance that has endocrine disrupting properties with respect to humans.

**SECTION 12: Ecological information****12.1. Toxicity****Fish toxicity****(2-Methoxymethylethoxy)-propanol (mixed isomers)**

Species	guppy (Poecilia reticulata)		
LC50	> 1000		mg/l
Duration of exposure	96	h	
Method	OECD 203		

**Daphnia toxicity****(2-Methoxymethylethoxy)-propanol (mixed isomers)**

Species	Daphnia magna		
LC50	1919		mg/l
Duration of exposure	48	h	

\* SECASENE Lotus

Date revised: 12.04.2024

# 8240040221

Version: 4 / GB

Master No. MA-231

Print date: 25.04.2024

Species	Daphnia magna		
NOEC	>	0,5	mg/l
Duration of exposure	22	d	

**Algae toxicity****(2-Methoxymethylethoxy)-propanol (mixed isomers)**

Species	Skeletonema costatum		
EC50	6999 mg/l		
Duration of exposure	72	h	

**Bacteria toxicity****(2-Methoxymethylethoxy)-propanol (mixed isomers)**

Species	Pseudomonas putida		
EC10	4168 mg/l		
Duration of exposure	18	h	

**12.2. Persistence and degradability**

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

**Biodegradability****(2-Methoxymethylethoxy)-propanol (mixed isomers)**

Value	75	%
Duration of test evaluation	28	d
Method	Readily biodegradable (according to OECD criteria) OECD 301 F	

**12.3. Bioaccumulative potential**

For this subsection there is no ecotoxicological data available on the product as such.

**Octanol/water partition coefficient (log Pow)**

Remarks Not relevant

**12.4. Mobility in soil**

For this subsection there is no ecotoxicological data available on the product as such.

**12.5. Results of PBT and vPvB assessment****Results of PBT and vPvB assessment**

The product contains no PBT substances. The product contains no vPvB substances.

**12.6 Endocrine disrupting properties****Endocrine disrupting properties with respect to the environment**

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

**12.7. Other adverse effects**

For this subsection there is no ecotoxicological data available on the product as such.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations for the product**

Allocation of a waste code number, according to the European Waste Catalogue (EWC), should be carried out in agreement with the regional waste disposal company.

**Disposal recommendations for packaging**

Completely emptied packagings can be given for recycling.

**SECTION 14: Transport information**

\* SECASENE Lotus



Date revised: 12.04.2024

# 8240040221

Version: 4 / GB

Master No. MA-231

Print date: 25.04.2024

	Land transport ADR/RID	Marine transport IMDG/GGVSee
14.1. UN number	1993	1993
14.2. UN proper shipping name	FLAMMABLE LIQUID, N.O.S. (modified alcohol/ Hydrocarbons, C11-C13, isoalkanes, <2% aromatics mixture)	FLAMMABLE LIQUID, N.O.S. (modified alcohol/ Hydrocarbons, C11-C13, isoalkanes, <2% aromatics mixture)
14.3. Transport hazard class(es)	3	3
14.4. Packing group	III	III
Label		
14.5. Environmental hazards	-	
Limited Quantity	5 l	5 l
Transport category	3	
Tunnel restriction code	D/E	
Hazard id. no.	30	
EmS		F-E, S-E

### Information for all modes of transport

#### 14.6. Special precautions for user

Ensure that persons transporting the product know what to do in the event of an accident or spillage.

### Other information

#### 14.7 Maritime transport in bulk according to IMO instruments

Not relevant

## SECTION 15: Regulatory information \*\*\*

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Major-accident categories acc. 2012/18/EU \*\*\*

Category P5c FLAMMABLE LIQUID

#### Ingredients (Regulation (EC) No 648/2004)

##### 30 % and more: \*\*\*

aliphatic hydrocarbons

#### VOC

VOC (EU) 96,85 %

#### Other information \*\*\*



\* SECASENE Lotus

Date revised: 12.04.2024

# 8240040221

Version: 4 / GB

Master No. MA-231

Print date: 25.04.2024

The product does not contain substances according to: Candidate List for inclusion in Annex XIV of Regulation (EC) No. 1907/2006 (REACH).

## 15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

## SECTION 16: Other information

### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Flam. Liq. 3	H226	On basis of test data
Asp. Tox. 1	H304	Calculation method

### Hazard statements listed in Chapter 2/3

H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.

### CLP categories listed in Chapter 2/3

Asp. Tox. 1	Aspiration hazard, Category 1
Flam. Liq. 3	Flammable liquid, Category 3

### Abbreviations

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route  
 RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses  
 GGVSee: Gefahrgutverordnung See  
 IMDG: International Maritime Code for Dangerous Goods  
 CAS: Chemical Abstracts Service  
 EAK: Europäischer Abfallkatalog  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 VOC: Volatile Organic Compound  
 GefStoffV: Gefahrstoffverordnung  
 TA Luft: Technische Anleitung zur Reinhaltung der Luft  
 INCI: International Nomenclature of Cosmetic Ingredients  
 n.a.g.: nicht anders genannt  
 MAK: Maximale Arbeitsplatz-Konzentration  
 AGW: Arbeitsplatzgrenzwert  
 BGW: Biologischer Grenzwert  
 TRGS: Technische Regeln für Gefahrstoffe  
 OEL: Occupational exposure limit  
 SUVA: Schweizerische Unfallversicherungsanstalt  
 WEL: Workplace exposure limit  
 MAC: Maximale aanvaarde concentratie (Netherlands)  
 MEL: Maximum exposure limits  
 NOEL: No observable effect level  
 NOEC: No observable effect concentration  
 LD: Lethal dose  
 LC: Lethal concentration  
 LLC: Lowest lethal concentration  
 PBT: Persistent, Bioaccumulative and Toxic  
 vPvB: Very persistent and very bioaccumulative  
 SVHC: Substances of very high concern  
 DNEL: Derived no effect level  
 DMEL: Derived minimal effect level  
 PNEC: Predicted no effect concentration  
 PEC: Predicted environmental concentration  
 GHS: Globally Harmonized System of classification and Labelling of Chemicals  
 REACH: Registration, Evaluation, Autohorisation and Restriction of Chemicals  
 UN: United Nations  
 EG: Europäische Gemeinschaft  
 EWG: Europäische Wirtschaftsgemeinschaft  
 EU: European Union

---

\* **SECASENE Lotus**

Date revised: 12.04.2024

# 8240040221

Version: 4 / GB

Master No. MA-231

Print date: 25.04.2024

---

HSNO: Hazardous Substances and New Organisms Act (New Zealand)

ATE: Acute Toxicity Estimate

STOT: Specific Target Organ Toxicity

**Supplemental information**

Relevant changes compared with the previous version of the safety data sheet are marked with: \*\*\*

This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.