

Status: 3/13/2025

# SolventClean ACT

# High-boiling solvent cleaner

## **Properties**

- label-free
- Removes paints of all paint systems highly effectively, even
- Also suitable for removing pigment powders
- High-boiling: Flash point according to DIN EN 22719-A: >61 °C

### **Application**

SolventClean ACT. is a high-boiling solvent-based cleaner. It is suitable for direct use in machine cleaning or manual cleaning. SolventClean ACT cleans water-based and solvent-based ink systems very effectively even at room temperature. The cleaner is also suitable for removing adhesives. For particularly thick layers with a high degree of cross-linking of the ink systems to be cleaned, manual spraying of the adhesions and an exposure time of approx. 20 minutes is recommended before machine cleaning.

Suitable surfaces: Steel, stainless steel, aluminium, aluminium alloys, galvanized material, non-ferrous

metals

Only treat after testing: Plastics

Area of application: manual and mechanical process

For removal of: UV-, water- and solvent-based paint systems

#### **Technical data**

#### Density (20°C)

0,90 kg/l

# **Cleaning bath**

#### **Flashpoint**

>61 °C (Pensky-Martens DIN EN 22719-A)

#### Notes

Store the product in its original container.

Storage should be frost-proof, although the solidified products can be used again after thawing without any loss of quality.

For commercial use only. This leaflet is for non-binding information only. The information is based on our current knowledge and experience. In any case, the user is obliged to carry out his own tests and trials to check the suitability of the products for his intended processes and purposes. The information in this leaflet does not constitute a guarantee for the quality and durability of the goods to be supplied by us. We reserve the right to make technical changes within the scope of what is reasonable. The current version of the corresponding EU safety data sheet must also be observed.