

* Detafix-Tintol

Date revised: 14.07.2023

8440005203

Version: 9 / GB

Master No. MA-211

Print date: 07.05.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

Detafix-Tintol

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

spotting agent

1.3. Details of the supplier of the safety data sheet

Address/Manufacturer

BÜFA Cleaning GmbH & Co. KG

August-Hanken-Str. 30

26125 Oldenburg

Telephone no. +49 441 9317 0

Fax no. +49 441 9317 100

Information provided Department product safety / +49 441 9317 108

by / telephone

E-Mail sds-cleaning@buefa.de

1.4. Emergency telephone number

Poison Information Center Goettingen: +49 551 19240

SECTION 2: Hazards identification ***

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Acute Tox. 4 H302

Eye Dam. 1 H318

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008

For explanation of abbreviations see section 16.

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008**Hazard pictograms****Signal word**

Danger

Hazard statements

H302 Harmful if swallowed.

H318 Causes serious eye damage.

Precautionary statements

P270 Do not eat, drink or smoke when using this product.

P280.6 Wear eye/face protection.

P301+P312 IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor.

* **Detafix-Tintol**

Date revised: 14.07.2023

8440005203

Version: 9 / GB

Master No. MA-211

Print date: 07.05.2024

P330

Rinse mouth.

Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

contains

Isotridecanol, ethoxylated; docusate sodium; 2-Phenoxyethanol; Benzyl alcohol

2.3. Other hazards

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

SECTION 3: Composition/information on ingredients *****3.2. Mixtures****Hazardous ingredients *******Isotridecanol, ethoxylated**

CAS No. 69011-36-5

EINECS no. 931-138-8

Registration no. IRRELEVANT (POLYMER)

Concentration ≥ 10 < 25 %

Acute Tox. 4 H302

Eye Dam. 1 H318

Concentration limits (Regulation (EC) No. 1272/2008)

Eye Irrit. 2 H319 > 1 < 10 %

Eye Dam. 1 H318 ≥ 10 %

ATE oral 500 mg/kg

2-(2-butoxyethoxy)ethanol

CAS No. 112-34-5

EINECS no. 203-961-6

Registration no. 01-2119475104-44-XXXX

Concentration ≥ 10 < 25 %

Eye Irrit. 2 H319

2-Phenoxyethanol

CAS No. 122-99-6

EINECS no. 204-589-7

Registration no. 01-2119488943-21-XXXX

Concentration ≥ 10 < 20 %

Acute Tox. 4 H302

Eye Dam. 1 H318

STOT SE 3 H335

ATE oral 1.394 mg/kg

docusate sodium

CAS No. 577-11-7

EINECS no. 209-406-4

Registration no. 01-2119491296-29-XXXX

Concentration ≥ 3 < 10 %

Skin Irrit. 2 H315

Eye Dam. 1 H318

Benzyl alcohol

CAS No. 100-51-6

EINECS no. 202-859-9

Registration no. 01-2119492630-38-XXXX

Concentration ≥ 1 < 10 %

* Detafix-Tintol

Date revised: 14.07.2023

8440005203

Version: 9 / GB

Master No. MA-211

Print date: 07.05.2024

Acute Tox. 4	H302
Acute Tox. 4	H332
Eye Irrit. 2	H319

ATE	oral	1.620	mg/kg
cATpE	inhalative, Dust/Mist	1,5	mg/l
cATpE	inhalative, Vapors	11	mg/l

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Ensure supply of fresh air. In the event of symptoms take medical treatment.

After skin contact

Wash off immediately with soap and water.

After eye contact

In case of contact with the eyes rinse thoroughly with plenty of water or with an eye-cleaning solution. Seek medical advice immediately.

After ingestion

Rinse out mouth and give plenty of water to drink. Seek medical advice immediately.

4.2. Most important symptoms and effects, both acute and delayed

There is no further relevant information available

4.3. Indication of any immediate medical attention and special treatment needed

There is no further relevant information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide, Dry powder, Water spray jet

5.2. Special hazards arising from the substance or mixture

If a fire breaks out nearby, pressure build-up and danger of bursting are possible.

5.3. Advice for firefighters

Cool endangered containers with water spray jet.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product. Use personal protective clothing.

6.2. Environmental precautions

Do not allow to enter drains or waterways.

6.3. Methods and material for containment and cleaning up

Take up with absorbent material (eg sand, kieselguhr, universal binder). When picked up, treat material as prescribed under Section 13 "Disposal".

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage

* **Detafix-Tintol**

Date revised: 14.07.2023

8440005203

Version: 9 / GB

Master No. MA-211

Print date: 07.05.2024

7.1. Precautions for safe handling

Observe the usual precautions for handling chemicals.

7.2. Conditions for safe storage, including any incompatibilities

Emptied containers may contain product residues and therefore must be handled with care. Reuse only after appropriate cleaning. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

7.3. Specific end use(s)

No information available

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Exposure limit values****2-(2-butoxyethoxy)ethanol**

List	EH40			
Type	WEL			
Value	67.5	mg/m ³	10	ppm(V)
Short term exposure limit	101.2	mg/m ³	15	ppm(V)

2-(2-butoxyethoxy)ethanol

List	IOELV			
Type	IOELV			
Value	67,5	mg/m ³	10	ppm(V)
Short term exposure limit	101,2	mg/m ³	15	ppm(V)

8.2. Exposure controls**General protective and hygiene measures**

Observe the usual precautions for handling chemicals. Personal protective equipment must comply with the Regulation (EC) No 2016/425 and the resulting CEN standards. The following information on personal protective equipment (PPE) is to be understood as a suggestion. The selection of the necessary PPE must be considered by the employer depending on the activities to be carried out and the local conditions. If it is determined during the on-site risk assessment that there is no danger to the employee, there is no need to wear PPE or the scope of the PPE to be used can be adjusted accordingly.

Respiratory protection

Not necessary.

Hand protection

Chemical resistant gloves

Appropriate Material	nitrile		
Material thickness	>=	0,6	mm
Breakthrough time	>	480	min

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leaktightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Eye protection

Tightly fitting safety glasses

Body protection

Clothing as usual in the chemical industry.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state liquid

* Detafix-Tintol

Date revised: 14.07.2023

8440005203

Version: 9 / GB

Master No. MA-211

Print date: 07.05.2024

Colour	colourless		
Odour	weak		
Melting point			
Remarks	not determined		
Boiling point			
Remarks	not determined		
Flammability			
evaluation	not determined		
Explosion limits			
Remarks	not determined		
Flash point			
Value	>	100	°C
Ignition temperature			
Remarks	not determined		
Thermal decomposition			
Remarks	Not relevant		
pH value			
Value	8,00	to	9,00
Viscosity			
Value	appr.	14	s
Method	DIN 53211 4 mm		
Solubility in other solvents	not determined		
Octanol/water partition coefficient (log Pow)			
Remarks	Not relevant		
Vapour pressure			
Remarks	not determined		
Density			
Value	appr.	1,03	kg/l
Vapour density			
Remarks	not determined		
Particle characteristics			
Remarks	irrelevant (liquid)		

9.2. Other information

Odour threshold

Remarks No data available

Solubility in water

Remarks miscible

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions when stored and handled according to prescribed instructions.

10.2. Chemical stability

The product is stable.

10.3. Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

* Detafix-Tintol

Date revised: 14.07.2023

8440005203

Version: 9 / GB

Master No. MA-211

Print date: 07.05.2024

10.4. Conditions to avoid

Protect from heat and direct sunlight.

Thermal decomposition

Remarks Not relevant

10.5. Incompatible materials

None known

10.6. Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Acute oral toxicity**

ATE	1.717	mg/kg
Method	calculated value (Regulation (EC) No. 1272/2008)	
The classification criteria are met.		

Acute oral toxicity (Components)**Isotridecanol, ethoxylated**

ATE	500	mg/kg
Source	Estimated value	

2-Phenoxyethanol

Reference substance	2-phenoxyethanol	
ATE	1394	mg/kg
Source	Literature value	

Benzyl alcohol

Species	rat	
LD50	1620	mg/kg

Acute dermal toxicity

Based on available data, the classification criteria are not met.

Acute dermal toxicity (Components)**2-Phenoxyethanol**

Reference substance	2-phenoxyethanol	
Species	rabbit	
LD50	> 2000	mg/kg
Source	Literature value	

Acute inhalational toxicity

ATE	> 100	mg/l
Administration/Form	Vapors	
Method	calculated value (Regulation (EC) No. 1272/2008)	
ATE	> 20	mg/l
Administration/Form	Dust/Mist	
Method	calculated value (Regulation (EC) No. 1272/2008)	

Based on available data, the classification criteria are not met.

Acute inhalative toxicity (Components)**Benzyl alcohol**

Reference substance	benzyl alcohol	
Species	Rats (male/female)	
LC50	> 4178	mg/m ³
Duration of exposure	4	h

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

* Detafix-Tintol

Date revised: 14.07.2023

8440005203

Version: 9 / GB

Master No. MA-211

Print date: 07.05.2024

Serious eye damage/irritation

evaluation corrosive
The classification criteria are met.

Sensitization

Based on available data, the classification criteria are not met.

Mutagenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT)**Single exposure**

Based on available data, the classification criteria are not met.

Repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards**Endocrine disrupting properties with respect to humans**

The product does not contain a substance that has endocrine disrupting properties with respect to humans.

SECTION 12: Ecological information**12.1. Toxicity****Fish toxicity****2-(2-butoxyethoxy)ethanol**

Reference substance	2-(2-butoxyethoxy)ethanol		
Species	sun perch		
LC50	1300		mg/l
Duration of exposure	96	h	

2-Phenoxyethanol

Reference substance	2-phenoxyethanol		
Species	Fathead minnow (Pimephales promelas)		
LC50	> 100		mg/l
Duration of exposure	96	h	
Durchfluss	Literature value		
Source	Literature value		

Benzyl alcohol

Reference substance	benzyl alcohol		
Species	Fathead minnow (Pimephales promelas)		
LC50	460		mg/l
Duration of exposure	96	h	

Daphnia toxicity**2-(2-butoxyethoxy)ethanol**

Reference substance	2-(2-butoxyethoxy)ethanol		
Species	Daphnia magna		
EC50	> 100		mg/l
Duration of exposure	48	h	
Species	2-(2-butoxyethoxy)ethanol		
	Daphnia magna		

* Detafix-Tintol

Date revised: 14.07.2023

8440005203

Version: 9 / GB

Master No. MA-211

Print date: 07.05.2024

NOEC	112		mg/l
Duration of exposure	14	d	

2-Phenoxyethanol

Reference substance	2-phenoxyethanol		
Species	Daphnia magna		
EC50	> 100		mg/l
Duration of exposure	48	h	
Method	OECD 202		
Source	Literature value		

Benzyl alcohol

Reference substance	benzyl alcohol		
Species	Daphnia magna		
LC50	230		mg/l
Duration of exposure	48	h	
Method	OECD 202		

Algae toxicity**2-(2-butoxyethoxy)ethanol**

Reference substance	2-(2-butoxyethoxy)ethanol		
Species	Desmodesmus subspicatus		
ErC50	> 100		mg/l
Duration of exposure	72	h	
Method	OECD 201		

2-Phenoxyethanol

Reference substance	2-phenoxyethanol		
Species	Desmodesmus subspicatus		
EC50	> 100		mg/l
Duration of exposure	72	h	

Benzyl alcohol

Reference substance	benzyl alcohol		
Species	Scenedesmus quadricauda		
EC50	640		mg/l
Duration of exposure	96	h	

Bacteria toxicity**2-(2-butoxyethoxy)ethanol**

Reference substance	2-(2-butoxyethoxy)ethanol		
Species	activated sludge		
EC10	> 1995		mg/l
Duration of exposure	30	min	
Source	Literature value		

2-Phenoxyethanol

Reference substance	2-phenoxyethanol		
Species	activated sludge		
NOEC	248		mg/l
Method	OECD 209		
Source	Literature value		

Benzyl alcohol

Reference substance	benzyl alcohol		
Species	activated sludge		
IC50	2100		mg/l
Duration of exposure	49	h	

12.2. Persistence and degradability

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

Biodegradability

* Detafix-Tintol

Date revised: 14.07.2023

8440005203

Version: 9 / GB

Master No. MA-211

Print date: 07.05.2024

2-(2-butoxyethoxy)ethanol

Reference substance	2-(2-butoxyethoxy)ethanol			
Value	89	to	93	%
Duration of test evaluation	28	d		
Method	readily degradable OECD 301 C			

Benzyl alcohol

Reference substance	benzyl alcohol			
Value	92	to	96	%
Duration of test evaluation	14	d		
Method	readily degradable OECD 301 C			

12.3. Bioaccumulative potential

For this subsection there is no ecotoxicological data available on the product as such.

Octanol/water partition coefficient (log Pow)

Remarks Not relevant

12.4. Mobility in soil

For this subsection there is no ecotoxicological data available on the product as such.

12.5. Results of PBT and vPvB assessment**Results of PBT and vPvB assessment**

The product contains no PBT substances. The product contains no vPvB substances.

12.6 Endocrine disrupting properties**Endocrine disrupting properties with respect to the environment**

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

For this subsection there is no ecotoxicological data available on the product as such.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations for the product**

Allocation of a waste code number, according to the European Waste Catalogue (EWC), should be carried out in agreement with the regional waste disposal company.

Disposal recommendations for packaging

Completely emptied packagings can be given for recycling.

SECTION 14: Transport information

* Detafix-Tintol

Date revised: 14.07.2023

8440005203

Version: 9 / GB

Master No. MA-211

Print date: 07.05.2024

	Land transport ADR/RID	Marine transport IMDG/GGVSee
14.1. UN number	The product does not constitute a hazardous substance in land transport.	The product does not constitute a hazardous substance in sea transport.
14.2. UN proper shipping name	-	-
14.3. Transport hazard class(es)	-	-
14.4. Packing group	-	-
Label		
14.5. Environmental hazards	-	-

Information for all modes of transport

14.6. Special precautions for user

Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Other information

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Ingredients (Regulation (EC) No 648/2004)

15 % or over but less than 30 %:

non-ionic surfactants

5 % or over but less than 15 %:

anionic surfactants

Further ingredients

Benzyl alcohol

National regulations Switzerland

SFOPH T no. 1128445

VOC

VOC (EU) 0 %

Other information

The product does not contain substances according to: Candidate List for inclusion in Annex XIV of Regulation (EC) No. 1907/2006 (REACH).

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information

Classification and procedure used to derive the classification for mixtures according to Regulation

* Detafix-Tintol

Date revised: 14.07.2023

8440005203

Version: 9 / GB

Master No. MA-211

Print date: 07.05.2024

(EC) 1272/2008 [CLP]:

Acute Tox. 4	H302	Calculation method
Eye Dam. 1	H318	Calculation method

Hazard statements listed in Chapter 2/3

H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.

CLP categories listed in Chapter 2/3

Acute Tox. 4	Acute toxicity, Category 4
Eye Dam. 1	Serious eye damage, Category 1
Eye Irrit. 2	Eye irritation, Category 2
Skin Irrit. 2	Skin irritation, Category 2
STOT SE 3	Specific target organ toxicity - single exposure, Category 3

Abbreviations

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route
 RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses
 GGVSee: Gefahrgutverordnung See
 IMDG: International Maritime Code for Dangerous Goods
 CAS: Chemical Abstracts Service
 EAK: Europäischer Abfallkatalog
 EINECS: European Inventory of Existing Commercial Chemical Substances
 VOC: Volatile Organic Compound
 GefStoffV: Gefahrstoffverordnung
 TA Luft: Technische Anleitung zur Reinhaltung der Luft
 INCI: International Nomenclature of Cosmetic Ingredients
 n.a.g.: nicht anders genannt
 MAK: Maximale Arbeitsplatz-Konzentration
 AGW: Arbeitsplatzgrenzwert
 BGW: Biologischer Grenzwert
 TRGS: Technische Regeln für Gefahrstoffe
 OEL: Occupational exposure limit
 SUVA: Schweizerische Unfallversicherungsanstalt
 WEL: Workplace exposure limit
 MAC: Maximale aanvaarde concentratie (Netherlands)
 MEL: Maximum exposure limits
 NOEL: No observable effect level
 NOEC: No observable effect concentration
 LD: Lethal dose
 LC: Lethal concentration
 LLC: Lowest lethal concentration
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: Very persistent and very bioaccumulative
 SVHC: Substances of very high concern
 DNEL: Derived no effect level
 DMEL: Derived minimal effect level
 PNEC: Predicted no effect concentration
 PEC: Predicted environmental concentration
 GHS: Globally Harmonized System of classification and Labelling of Chemicals
 REACH: Registration, Evaluation, Autohorisation and Restriction of Chemicals
 UN: United Nations
 EG: Europäische Gemeinschaft
 EWG: Europäische Wirtschaftsgemeinschaft
 EU: European Union
 HSNO: Hazardous Substances and New Organisms Act (New Zealand)

* **Detafix-Tintol**

Date revised: 14.07.2023

8440005203

Version: 9 / GB

Master No. MA-211

Print date: 07.05.2024

ATE: Acute Toxicity Estimate

STOT: Specific Target Organ Toxicity

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: ***

This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.